

Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad (E), Mumbai -400097 Tel No:- 61441600 , Fax No:- 61441650

Email:- info@aakashpower.com

(WEF: 13th April 2021)

MARATHON IE2 induction motors Cast Iron Body suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, foot mounted (B3 construction), ambient temperature 50°C, TEFC, Class 'F' insulation with temperature rise limited to Class B, IP55 (IS: 4691) protection, continuous rated (S1 duty) as per IS: 12615:2018 / IEC: 60034-30-1 (2014).

KW	HP	Frame	Type Designation	Price	KW	HP	Frame	Type Designation	Price
2 Pole, 3000 RPM					4 Pole, 1500 RPM				
0.75	1.0	80	IE2	11,750	0.55	0.75	80	IE2	11,750
1.1	1.5	80	IE2	12,740	0.75	1	80	IE2	11,870
1.5	2	90S	IE2	14,590	1.1	1.5	90S	IE2	14,720
2.2	3	90L	IE2	18,800	1.5	2	90L	IE2	17,810
3.7	5	100L	IE2	23,250	2.2	3	100L	IE2	21,140
5.5	7.5	132S	IE2	39,560	3	4	100L	IE2	23,490
7.5	10	132S	IE2	43,030	3.7	5	112M	IE2	26,830
9.3	12.5	132M	IE2	62,650	4	5.36	112M	IE2	28,210
9.3	12.5	160M	IE2	72,450	5.5	7.5	132S	IE2	37,340
11	15	160M	IE2	76,530	7.5	10	132M	IE2	44,020
15	20	160M	IE2	82,220	9.3	12.5	160M	IE2	71,210
18.5	25	160L	IE2	105,700	11	15	160M	IE2	73,560
22	30	180M	IE2	118,680	15	20	160L	IE2	88,640
30	40	200L	IE2	174,320	18.5	25	180M	IE2	113,490
37	50	200L	IE2	211,530	22	30	180L	IE2	124,250
45	60	225M	IE2	272,230	30	40	200L	IE2	171,470
55	75	250M	IE2	366,550	37	50	225S	IE2	200,520
75	100	280S	IE2	457,790	45	60	225M	IE2	243,050
90	120	280M	IE2	528,010	55	75	250M	IE2	333,920
110	150	315S	IE2	682,410	75	100	280S	IE2	406,480
125	170	315M	IE2	800,720	90	120	280M	IE2	473,490
132	180	315M	IE2	838,680	110	150	315S	IE2	586,730
160	215	315L	IE2	918,790	125	170	315M	IE2	668,450
180	240	315L	IE2	967,250	132	180	315M	IE2	687,480
200	270	315L	IE2	1,072,700	160	215	315L	IE2	806,660
250	335	355L	IE2	1,237,000	180	240	315L	IE2	857,960
275	370	355L	IE2	1,271,980	200	270	315L	IE2	979,240
315	425	355L	IE2	1,302,520	220	295	355M	IE2	1,126,230
					250	335	355M	IE2	1,194,960
					275	370	355L	IE2	1,306,230
					315	425	355L	IE2	1,402,040
					355	476	355L	IE2	1,703,310
					375	502	355L	IE2	1,946,360

MANUFACTURERS AUTHORISED CHANNEL PARTNER / MARKETING REPRESENTATIVE:



 POLYCARB


 HINDUSTAN ELECTRIC ROYAL


 SIEMENS


 MARATHON


 DOWELLS


 ELECTROTHERM

Cables

Motors

LV Switchgears

Cable Lugs & Glands

LED Lighting & Luminaires

Transformers

Add: 501-505, A-Wing, Express Zone, W.E.H, Malad-(E), Mum- 97. Tel: 022 6144 1600; Email: info@aakashpower.com; www.aakashpower.com

Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad (E), Mumbai -400097 Tel No:- 61441600 , Fax No:- 61441650


Email:- info@aakashpower.com

(WEF: 13th April 2021)

MARATHON IE2 induction motors Cast Iron Body suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, foot mounted (B3 construction), ambient temperature 50°C, TEFC, Class 'F' insulation with temperature rise limited to Class B, IP55 (IS: 4691) protection, continuous rated (S1 duty) as per IS: 12615:2018 / IEC: 60034-30-1 (2014).

KW	HP	Frame	Type Designation	Price	KW	HP	Frame	Type Designation	Price
6 Pole, 1000 RPM					8 Pole, 750 RPM				
0.37	0.5	80	IE2	12,740	0.37	0.5	90S	IE2	15,460
0.55	0.75	80	IE2	13,110	0.55	0.75	90L	IE2	16,940
0.75	1	90S	IE2	14,720	0.75	1	100L	IE2	20,770
1.1	1.5	90L	IE2	16,080	1.1	1.5	100L	IE2	25,350
1.5	2	100L	IE2	23,250	1.5	2	112M	IE2	29,300
2.2	3	112M	IE2	24,730	2.2	3	132S	IE2	38,820
3	4	132S	IE2	37,220	3.7	5	160M	IE2	60,460
3.7	5	132S	IE2	38,450	5.5	7.5	160M	IE2	75,540
5.5	7.5	132M	IE2	47,350	7.5	10	160L	IE2	95,810
7.5	10	160M	IE2	72,200	9.3	12.5	180M	IE2	124,620
9.3	12.5	160L	IE2	78,660	11	15	180L	IE2	131,420
11	15	160L	IE2	88,890	15	20	200L	IE2	184,950
15	20	180L	IE2	116,090	18.5	25	225S	IE2	237,360
18.5	25	200L	IE2	165,660	22	30	225M	IE2	285,330
22	30	200L	IE2	178,400	30	40	250M	IE2	385,220
30	40	225M	IE2	254,920	37	50	280S	IE2	502,290
37	50	250M	IE2	342,820	45	60	280M	IE2	580,420
45	60	280S	IE2	410,690	55	75	315S	IE2	703,310
55	75	280M	IE2	471,630	75	100	315M	IE2	873,290
75	100	315S	IE2	575,970	90	120	315L	IE2	990,120
90	120	315M	IE2	720,620	110	150	315L	IE2	1,048,100
110	150	315M	IE2	803,570	125	170	355S	IE2	1,151,570
125	170	315L	IE2	875,890	132	180	355S	IE2	1,214,370
132	180	315L	IE2	938,070	150	200	355M	IE2	1,303,630
160	215	315L	IE2	976,770	160	215	355M	IE2	1,410,810
160	215	355S	IE2	982,820	180	240	355L	IE2	1,447,530
180	240	355M	IE2	1,131,170	200	270	355L	IE2	1,550,630
200	270	355M	IE2	1,158,370	220	300	355L	IE2	2,203,250
220	300	355L	IE2	1,193,110	250	335	355L	IE2	2,481,780
250	335	355L	IE2	1,275,690					
275	370	355L	IE2	1,550,630					
315	425	355L	IE2	1,919,530					

MANUFACTURERS AUTHORISED CHANNEL PARTNER / MARKETING REPRESENTATIVE:


Cables
Motors
 LV Switchgears
 Cable Lugs & Glands
 LED Lighting & Luminaires
 Transformers

 Add: 501-505, A-Wing, Express
 Zone, W.E.H, Malad-(E), Mum- 97.
 Tel: 022 6144 1600;
 Email: info@aakashpower.com;
 www.aakashpower.com

Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad (E), Mumbai -400097 Tel No:- 61441600 , Fax No:- 61441650 Email:- info@aakashpower.com

(WEF: 13th April 2021)

MARATHON IE3 induction motors Cast Iron Body suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, foot mounted (B3 construction), ambient temperature 50°C, TEFC, Class 'F' insulation with temperature rise limited to Class B, IP55 (IS: 4691) protection, continuous rated (S1 duty) Performance IS: 12615:2018 / IEC: 60034-30-1 (2014).

KW	HP	Frame	Type Designation	Price	KW	HP	Frame	Type Designation	Price
2 Pole, 3000 RPM					4 Pole, 1500 RPM				
0.37	0.5	80	IE3	12,990	0.37	0.5	80	IE3	13,480
0.55	0.75	80	IE3	12,990	0.55	0.75	80	IE3	13,480
0.75	1	80	IE3	13,480	0.75	1	80	IE3	13,600
1.1	1.5	80	IE3	14,590	1.1	1.5	90S	IE3	16,820
1.5	2	90S	IE3	16,820	1.5	2	90L	IE3	20,530
2.2	3	90L	IE3	21,520	2.2	3	100L	IE3	24,360
3	4	100L	IE3	26,340	3	4	100L	IE3	28,180
3.7	5	112M	IE3	27,570	3.7	5	112M	IE3	30,910
5.5	7.5	132S	IE3	43,640	5.5	7.5	132S	IE3	42,900
7.5	10	132S	IE3	45,130	7.5	10	132M	IE3	50,690
9.3	12.5	160M	IE3	76,030	9.3	12.5	160M	IE3	79,000
11	15	160M	IE3	78,750	11	15	160M	IE3	81,720
15	20	160M	IE3	92,350	15	20	160L	IE3	99,650
18.5	25	160L	IE3	118,680	18.5	25	180M	IE3	127,460
22	30	180M	IE3	131,670	22	30	180L	IE3	139,580
30	40	200L	IE3	195,700	30	40	200L	IE3	192,610
37	50	200L	IE3	237,610	37	50	225SX	IE3	225,250
45	60	225M	IE3	305,850	45	60	225MX	IE3	272,970
55	75	250M	IE3	411,680	55	75	250MX	IE3	375,080
75	100	280S	IE3	514,160	75	100	280S	IE3	456,550
90	120	280M	IE3	593,030	90	120	280M	IE3	531,840
110	150	315S	IE3	749,170	110	150	315S	IE3	644,090
125	170	315M	IE3	878,980	125	170	315S	IE3	733,720
132	180	315M	IE3	920,760	132	180	315M	IE3	754,740
160	215	315L	IE3	1,008,540	160	215	315L	IE3	954,510
180	240	315L	IE3	1,061,700	180	240	315L	IE3	1,031,780
200	270	315L	IE3	1,177,410	200	270	315L	IE3	1,074,920
225	300	355M	IE3	1,246,020	225	300	355M	IE3	1,327,000
250	335	355M	IE3	1,318,960	250	335	355M	IE3	1,353,580
275	370	355L	IE3	1,396,230	275	335	355L	IE3	1,433,930
315	425	355L	IE3	1,429,850	315	425	355L	IE3	1,539,140
355	476	355L	IE3	1,736,940	355	475	355L	IE3	1,869,830
375	502	355L	IE3	1,984,190	375	500	355L	IE3	2,136,620

MANUFACTURERS AUTHORISED CHANNEL PARTNER / MARKETING REPRESENTATIVE:



Cables Motors
LV Switchgears
Cable Lugs & Glands
LED Lighting & Luminaires
Transformers

Add: 501-505, A-Wing, Express Zone, W.E.H, Malad-(E), Mum- 97. Tel: 022 6144 1600; Email: info@aakashpower.com; www.aakashpower.com

Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad (E), Mumbai -400097 Tel No:- 61441600 , Fax No:- 61441650 Email:- info@aakashpower.com

(WEF: 13th April 2021)

MARATHON IE3 induction motors Cast Iron Body suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, foot mounted (B3 construction), ambient temperature 50°C, TEFC, Class 'F' insulation with temperature rise limited to Class B, IP55 (IS: 4691) protection, continuous rated (S1 duty) Performance IS: 12615:2018 / IEC: 60034-30-1 (2014).

KW	HP	Frame	Type Designation	Price	KW	HP	Frame	Type Designation	Price
6 Pole, 1000 RPM					8 Pole, 750 RPM				
0.75	1	90S	IE3	16,940	PRICE ON REQUEST				
1.1	1.5	90L	IE3	18,550					
1.5	2	100L	IE3	28,440					
2.2	3	112M	IE3	30,050					
3	4	132S	IE3	41,670					
3.7	5	132S	IE3	44,260					
5.5	7.5	132M	IE3	54,400					
7.5	10	160M	IE3	81,100					
9.3	12.5	160L	IE3	88,400					
11	15	160L	IE3	99,770					
15	20	180L	IE3	130,310					
18.5	25	200L	IE3	186,180					
22	30	200L	IE3	204,730					
30	40	225M	IE3	286,320					
37	50	250M	IE3	385,100					
45	60	280S	IE3	461,250					
55	75	280M	IE3	529,740					
75	100	315SX	IE3	632,220					
90	120	315M	IE3	791,080					
110	150	315L	IE3	882,190					
125		315L	IE3	961,440					
132	180	315L	IE3	1,029,800					
160	215	355M	IE3	1,072,200					
180	240	355M	IE3	1,309,940					
200	270	355M	IE3	1,375,330					
225	200	355L	IE3	1,433,930					
250	335	355L	IE3	1,505,630					
275	370	355L	IE3	1,702,070					
315	425	355L	IE3	2,107,070					

MANUFACTURERS AUTHORISED CHANNEL PARTNER / MARKETING REPRESENTATIVE:

Cables Motors
LV Switchgears
Cable Lugs & Glands
LED Lighting & Luminaires
Transformers

Add: 501-505, A-Wing, Express Zone, W.E.H, Malad-(E), Mum- 97.
 Tel: 022 6144 1600;
 Email: info@aakashpower.com;
 www.aakashpower.com

Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad (E), Mumbai -400097 Tel No:- 61441600 , Fax No:- 61441650

Email:- info@aakashpower.com


(WEF: 13th April 2021)

MARATHON Flameproof IE2 induction motors suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, foot mounted (B3 construction), ambient temperature 50°C, TEFC, Class 'F' insulation, IP55 protection, continuous rated (S1 duty) with bare shaft & key as per IEC: 60034-1 & suitable for gas group IIB as per IS/IEC:60079-1. Performance IS:12615:2018 / IEC 60034 - 30 - 1 (2014)

KW	HP	Frame	Type Designation	Price	KW	HP	Frame	Type Designation	Price
2 Pole, 3000 RPM					4 Pole, 1500 RPM				
0.37	0.5	80	Flame Proof IE2	21,890	0.37	0.5	80	Flame Proof IE2	21,520
0.55	0.75	80	Flame Proof IE2	24,480	0.55	0.75	80	Flame Proof IE2	23,860
0.75	1	80	Flame Proof IE2	25,220	0.75	1	80	Flame Proof IE2	24,730
1.1	1.5	90L	Flame Proof IE2	28,320	1.5	2	100L	Flame Proof IE2	30,660
1.5	2	90L	Flame Proof IE2	28,930	2.2	3	100L	Flame Proof IE2	38,950
2.2	3	100L	Flame Proof IE2	39,440	3.7	5	112M	Flame Proof IE2	49,450
3.7	5	100L	Flame Proof IE2	50,200	5.5	7.5	132M	Flame Proof IE2	68,000
11	15	160L	Flame Proof IE2	148,350	7.5	10	132M	Flame Proof IE2	77,390
15	20	180L	Flame Proof IE2	163,680	11	15	160L	Flame Proof IE2	122,390
22	30	180L	Flame Proof IE2	220,550	15	20	160L	Flame Proof IE2	148,970
30	40	200L	Flame Proof IE2	296,830	18.5	25	180L	Flame Proof IE2	169,120
37	50	225M	Flame Proof IE2	384,480	22	30	180L	Flame Proof IE2	201,020
45	60	225M	Flame Proof IE2	488,080	30	40	200L	Flame Proof IE2	269,630
75	100	280M	Flame Proof IE2	734,580	37	50	225M	Flame Proof IE2	351,220
90	120	315M	Flame Proof IE2	794,300	45	60	225M	Flame Proof IE2	444,070
110	150	315M	Flame Proof IE2	920,270	55	75	250M	Flame Proof IE2	544,080
132	180	315M	Flame Proof IE2	1,091,120	75	100	280M	Flame Proof IE2	666,710
6 Pole, 1000 RPM					90	120	280M	Flame Proof IE2	679,700
0.37	0.5	80	Flame Proof IE2	24,980	110	150	315M	Flame Proof IE2	811,480
0.55	0.75	90L	Flame Proof IE2	25,720	132	180	315M	Flame Proof IE2	982,080
0.75	1	90L	Flame Proof IE2	29,920	160	215	315L	Flame Proof IE2	1,031,280
1.1	1.5	100L	Flame Proof IE2	30,910	180	240	315L	Flame Proof IE2	1,234,400
1.5	2	100L	Flame Proof IE2	44,630	200	270	355M	Flame Proof IE2	1,471,760
2.2	3	112M	Flame Proof IE2	51,930	220	300	355M	Flame Proof IE2	2,077,650
3.7	5	132M	Flame Proof IE2	68,740	250	335	355M	Flame Proof IE2	2,140,940
5.5	7.5	160L	Flame Proof IE2	83,330					
7.5	10	160L	Flame Proof IE2	131,910					
11	15	160L	Flame Proof IE2	161,580					
15	20	160L	Flame Proof IE2	206,580					
18.5	25	200L	Flame Proof IE2	256,900					
22	30	200L	Flame Proof IE2	278,780					
30	40	225M	Flame Proof IE2	278,780					
37	50	250M	Flame Proof IE2	561,140					
45	60	280M	Flame Proof IE2	651,630					
75	100	315M	Flame Proof IE2	824,210					
90	120	315M	Flame Proof IE2	966,510					
110	150	315M	Flame Proof IE2	1,059,590					

8 Pole Motors Price On Request

MANUFACTURERS AUTHORISED CHANNEL PARTNER / MARKETING REPRESENTATIVE:


Cables Motors
LV Switchgears
Cable Lugs & Glands
LED Lighting & Luminaires
Transformers

 Add: 501-505, A-Wing, Express Zone, W.E.H, Malad-(E), Mum- 97.
 Tel: 022 6144 1600;
 Email: info@aakashpower.com;
 www.aakashpower.com

Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad (E), Mumbai -400097 Tel No:- 61441600 , Fax No:- 61441650 Email:- info@aakashpower.com

(WEF: 13th April 2021)

MARATHON Flameproof IE1 induction motors suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, foot mounted (B3 construction), ambient temperature 50°C, TEFC, Class 'F' insulation, IP55 protection, continuous rated (S1 duty) with bare shaft & suitable for gas group IIB as per IS/IEC:60079-1.

KW	HP	Frame	Type Designation	Price	KW	HP	Frame	Type Designation	Price
2 Pole, 3000 RPM					4 Pole, 1500 RPM				
0.37	0.5	80	IE1 FLP	19,420	0.37	0.5	71	IE1 FLP	19,080
0.55	0.75	80	IE1 FLP	21,720	0.55	0.75	80	IE1 FLP	21,180
0.75	1	80	IE1 FLP	22,370	0.75	1	80	IE1 FLP	21,940
1.1	1.5	80	IE1 FLP	25,120	1.1	1.5	90S	IE1 FLP	25,110
1.5	2	90L	IE1 FLP	25,720	1.5	2	90L	IE1 FLP	27,190
2.2	3	90L	IE1 FLP	34,980	2.2	3	100L	IE1 FLP	34,600
3.7	5	100L	IE1 FLP	44,530	3.7	5	112M	IE1 FLP	43,860
5.5	7.5	132M	IE1 FLP	62,840	5.5	7.5	132S	IE1 FLP	60,340
7.5	10	132M	IE1 FLP	69,860	7.5	10	132M	IE1 FLP	68,640
11	15	160L	IE1 FLP	131,580	11	15	160M	IE1 FLP	111,490
15	20	160L	IE1 FLP	149,130	15	20	160L	IE1 FLP	135,680
18.5	25	160L	IE1 FLP	168,730	18.5	25	180M	IE1 FLP	154,100
22	30	180L	IE1 FLP	200,960	22	30	180L	IE1 FLP	183,210
30	40	200L	IE1 FLP	271,010	30	40	200L	IE1 FLP	245,710
37	50	200L	IE1 FLP	350,190	37	50	225SX	IE1 FLP	320,000
45	60	225M	IE1 FLP	444,750	45	60	225MX	IE1 FLP	404,740
55	75	250M	IE1 FLP	557,090	55	75	250MX	IE1 FLP	495,710
75	100	280M	IE1 FLP	670,680	75	100	280SX	IE1 FLP	607,370
90	120	280M	IE1 FLP	725,200	90	120	280MX	IE1 FLP	619,130
110	150	315M	IE1 FLP	843,750	110	150	315SX	IE1 FLP	736,690
125	170	315M	IE1 FLP	981,240	125	170	315MX	IE1 FLP	859,820
132	180	315M	IE1 FLP	996,180	132	180	315MX	IE1 FLP	891,350
160	215	315L	IE1 FLP	1,194,720	160	215	315LX	IE1 FLP	936,960
180	240	315L	IE1 FLP	1,429,980	180	240	315LX	IE1 FLP	1,127,630
200	270	315L	IE1 FLP	1,788,860	200	270	315LX	IE1 FLP	1,337,020
					220	300	355SX	IE1 FLP	1,889,990
					250	335	355MX	IE1 FLP	1,941,910
					280	375	355LX	IE1 FLP	1,990,800
					315	425	355LX	IE1 FLP	2,186,160

MANUFACTURERS AUTHORISED CHANNEL PARTNER / MARKETING REPRESENTATIVE:



Cables Motors
LV Switchgears
Cable Lugs & Glands
LED Lighting & Luminaires
Transformers

Add: 501-505, A-Wing, Express Zone, W.E.H, Malad-(E), Mum- 97.
 Tel: 022 6144 1600;
 Email: info@aakashpower.com;
 www.aakashpower.com

Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad (E), Mumbai -400097 Tel No:- 61441600 , Fax No:- 61441650 Email:- info@aakashpower.com

(WEF: 13th April 2021)

MARATHON Flameproof IE1 induction motors suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, foot mounted (B3 construction), ambient temperature 50°C, TEFC, Class 'F' insulation, IP55 protection, continuous rated (S1 duty) with bare shaft & suitable for gas group IIB as per IS/IEC:60079-1.

KW	HP	Frame	Type Designation	Price	KW	HP	Frame	Type Designation	Price
6 Pole, 1000 RPM					8 Pole, 750 RPM				
0.37	0.5	80	IE1 FLP	22,190	0.37	0.5	90L	IE1 FLP	26,490
0.55	0.75	80	IE1 FLP	22,860	0.55	0.75	90L	IE1 FLP	28,710
0.75	1	90L	IE1 FLP	26,550	0.75	1	100L	IE1 FLP	34,930
1.1	1.5	90L	IE1 FLP	27,440	1.1	1.5	100L	IE1 FLP	40,510
1.5	2	100L	IE1 FLP	39,600	1.5	2	112M	IE1 FLP	48,820
2.2	3	112M	IE1 FLP	46,150	2.2	3	132M	IE1 FLP	64,260
3.7	5	132M	IE1 FLP	60,970	3.7	5	160L	IE1 FLP	103,640
5.5	7.5	132M	IE1 FLP	73,950	5.5	7.5	160L	IE1 FLP	122,370
7.5	10	160L	IE1 FLP	116,990	7.5	10	160L	IE1 FLP	149,360
11	15	160L	IE1 FLP	143,310	11	15	180L	IE1 FLP	198,670
15	20	180L	IE1 FLP	188,240	15	20	200L	IE1 FLP	277,830
18.5	25	200L	IE1 FLP	234,180	18.5	25	225M	IE1 FLP	345,010
22	30	200L	IE1 FLP	254,060	22	30	225M	IE1 FLP	454,610
30	40	225M	IE1 FLP	416,390	30	40	250M	IE1 FLP	558,510
37	50	250M	IE1 FLP	511,310	37	50	280M	IE1 FLP	711,230
45	60	280M	IE1 FLP	594,130	45	60	280M	IE1 FLP	732,440
55	75	280M	IE1 FLP	639,450	55	75	315M	IE1 FLP	885,050
75	100	315M	IE1 FLP	750,040	75	100	315M	IE1 FLP	1,037,190
90	120	315M	IE1 FLP	881,210	90	120	315L	IE1 FLP	1,134,220
110	150	315M	IE1 FLP	966,880	110	150	315L	IE1 FLP	1,332,060
125	170	315L	IE1 FLP	1,210,660	132	180	355M	IE1 FLP	1,384,430
132	180	315L	IE1 FLP	1,227,570	160	215	355M	IE1 FLP	1,597,390
160	215	355M	IE1 FLP	1,545,900					
180	240	355M	IE1 FLP	1,685,420					
200	270	355M	IE1 FLP	1,774,890					
250	335	355L	IE1 FLP	2,073,200					

MANUFACTURERS AUTHORISED CHANNEL PARTNER / MARKETING REPRESENTATIVE:



Cables Motors
LV Switchgears
Cable Lugs & Glands
LED Lighting & Luminaires
Transformers

Add: 501-505, A-Wing, Express Zone, W.E.H, Malad-(E), Mum- 97.
Tel: 022 6144 1600;
Email: info@aakashpower.com;
www.aakashpower.com

Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad (E), Mumbai -400097 Tel No:- 61441600 , Fax No:- 61441650 Email:- info@aakashpower.com
 (WEF: 13th April 2021)

MARATHON Screen Protected Squirrel Cage suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, Class F temperature rise limited to Class B, Ambient 45 Deg C, Duty S1, Mounting B3, Proformance IS/IEC:60034-1, Protection IP-21 (IS:4691).

KW	HP	Frame	Type Designation	Price	KW	HP	Frame	Type Designation	Price
2 Pole, 3000 RPM					4 Pole, 1500 RPM				
15	20	160LA	PTSC -I	87,660	15	20	160LA	PTSC -I	93,090
18.5	25	160LB	PTSC -I	120,910	18.5	25	160LB	PTSC -I	112,260
22	30	180M	PTSC -I	127,090	22	30	180M	PTSC -I	119,060
30	40	180L	PTSC -I	149,470	30	40	180L	PTSC -I	133,640
37	50	200M	PTSC -I	212,150	37	50	200M	PTSC -I	186,930
45	60	200L	PTSC -I	258,010	45	60	200L	PTSC -I	216,230
55	75	225M	PTSC -I	338,120	55	75	225M	PTSC -I	266,540
75	100	250S	PTSC -I	390,290	75	100	250S	PTSC -I	344,050
90	120	250M	PTSC -I	422,430	90	120	250M	PTSC -I	382,500
110	150	280S	PTSC -I	588,710	110	150	280S	PTSC -I	466,940
125	170	280MA	PTSC -I	606,880	125	170	280MA	PTSC -I	508,970
132	180	280MB	PTSC -I	619,120	132	180	280MB	PTSC -I	538,020
150	200	315S	PTSC -I	807,520	150	200	315S	PTSC -I	665,350
180	240	315MA	PTSC -I	869,090	180	240	315MA	PTSC -I	707,510
200	270	315MB	PTSC -I	911,990	200	270	315MB	PTSC -I	779,090
225	300	315LX	PTSC -I	1,000,870	220	295	315LA	PTSC -I	936,960
250		315LX	PTSC -I	1,201,050	250	335	315LX	PTSC -I	1,124,370
					280	375	335S	PTSC -I	1,312,280
					300	400	355M	PTSC -I	1,359,880
					315	425	355L	PTSC -I	1,407,480
KW	HP	Frame	Type Designation	Price	KW	HP	Frame	Type Designation	Price
6 Pole, 1000 RPM					8 Pole, 750 RPM				
11	15	160L	PTSC -I	102,240	11	15	180M	PTSC -I	110,150
15	20	180M	PTSC -I	104,100	15	20	180L	PTSC -I	120,910
18.5	25	180L	PTSC -I	176,540	18.5	25	200M	PTSC -I	167,270
22	30	200M	PTSC -I	194,470	22	30	200L	PTSC -I	208,680
30	40	200L	PTSC -I	257,890	30	40	225M	PTSC -I	260,980
37	50	225M	PTSC -I	304,490	37	50	250S	PTSC -I	316,110
45	60	250S	PTSC -I	351,470	45	60	250M	PTSC -I	332,560
55	75	250M	PTSC -I	461,620	55	75	280S	PTSC -I	434,920
75	100	280S	PTSC -I	490,920	75	100	280M	PTSC -I	482,880
90	120	280M	PTSC -I	528,130	90	120	315S	PTSC -I	623,940
110	150	315S	PTSC -I	626,540	110	150	315MA	PTSC -I	675,240
132	180	315MA	PTSC -I	714,930	125	170	315LA	PTSC -I	844,490
150	200	315MB	PTSC -I	753,620					
160	215	315LA	PTSC -I	761,660					
175	235	315LX	PTSC -I	1,059,840					

MANUFACTURERS AUTHORISED CHANNEL PARTNER / MARKETING REPRESENTATIVE:








Cables Motors
LV Switchgears
Cable Lugs & Glands
LED Lighting & Luminaires
Transformers

Add: 501-505, A-Wing, Express Zone, W.E.H. Malad-(E), Mum- 97.
 Tel: 022 6144 1600;
 Email: info@aakashpower.com;
 www.aakashpower.com

Prices For Higher Rating On Request


Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad (E), Mumbai -400097 Tel No:- 61441600 , Fax No:- 61441650 Email:- info@aakashpower.com

(WEF: 13th April 2021)

MARATHON TEFC Crane Duty Motor suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, Class F, Ambient 45 Deg C, Duty S4 - 40% CDF - 150 S/H, Factor of Inertia 2 (Load GD2 = Motor GD2), Cooling IC 411, Mounting B3, Proformance IS/IEC:60034-1, Frame Dimensions IS: 1231 Protection IP-55 (IS:4691).

KW	HP	Frame	Type Designation	Price	KW	HP	Frame	Type Designation	Price
4 Pole, 1500 RPM					6 Pole, 1000 RPM				
0.55	0.75	KD71 **	CRANE DUTY	9300	0.55	0.75	KD80	CRANE DUTY	13,600
0.75	1	KD80	CRANE DUTY	12,860	0.75	1	KD80	CRANE DUTY	14,220
1.1	1.5	KD80	CRANE DUTY	13,480	1.1	1.5	KD90S	CRANE DUTY	14,470
1.5	2	KD90S	CRANE DUTY	14,100	1.5	2	KD90L	CRANE DUTY	16,820
2.2	3	KD90L	CRANE DUTY	15,460	2.2	3	KD100L	CRANE DUTY	21,890
3.7	5	KD100L	CRANE DUTY	20,770	3.7	5	KD112M	CRANE DUTY	26,090
5.5	7.5	KD112M	CRANE DUTY	25,970	5.5	7.5	KD132S	CRANE DUTY	38,330
7.5	10	KD132S	CRANE DUTY	35,860	7.5	10	KD132M	CRANE DUTY	42,780
9.3	12.5	KD132M	CRANE DUTY	41,910	9.3	12.5	KD160M	CRANE DUTY	68,990
11	15	KD160M1	CRANE DUTY	65,160	11	15	KD160L1	CRANE DUTY	85,550
15	20	KD160M2	CRANE DUTY	70,970	15	20	KD160L2	CRANE DUTY	91,240
18.5	25	KD160L	CRANE DUTY	82,960	18.5	25	KD180L	CRANE DUTY	124,120
22	30	KD180M	CRANE DUTY	116,090	22	30	KD200L	CRANE DUTY	161,830
30	40	KD200L	CRANE DUTY	140,810	30	40	KD225M	CRANE DUTY	227,850
37	50	KD225S	CRANE DUTY	166,650					
45	60	KD225M	CRANE DUTY	262,120					

MANUFACTURERS AUTHORISED CHANNEL PARTNER / MARKETING REPRESENTATIVE:



**Cables
Motors
LV Switchgears
Cable Lugs & Glands
LED Lighting & Luminaires
Transformers**

Add: 501-505, A-Wing, Express Zone, W.E.H, Malad-(E), Mum- 97.
Tel: 022 6144 1600;
Email: info@aakashpower.com;
www.aakashpower.com

** Confirm Availibility before Ordering
Suitable For 50 Deg C Ambient

Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad (E), Mumbai -400097 Tel No:- 61441600 ,
 Fax No:- 61441650 Email:- info@aakashpower.com
 (WEF: 13th April 2021)

MARATHON TEFC Crane Duty Slip Ring Motor suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, Class F/F with temperature rise limited to class B, Ambient 47 Deg C, Duty S3 - 40% CDF, Factor of Inertia 2 (Load GD2 = Motor GD2), Cooling IC 411, Mounting B3, Proformance IS/IEC:60034-1, Frame Dimensions IS: 1231 Protection IP-55 (IS:4691).

KW	Frame	Price	KW	Frame	Price	KW	Frame	Price
1000 RPM			750 RPM			600 RPM		
2	KS112M	71,210	2.2	KS132MA	135,250	16.7	KS225S	394,370
3	KS132MA	95,200	3.7	KS132MC	138,710	22	KS225M	462,360
5.1	KS132MC	114,110	5.2	KS160M	146,500	23	KS250SA	543,950
7	KS160M	129,190	7.5	KS160L	182,480	25	KS250SB	611,950
10	KS160L	157,260	11.5	KS180L	245,520	28.5	KS250M	693,540
15	KS180L	240,700	15.5	KS200L	319,580	40	KS280SA	868,970
23	KS200L	316,860	20	KS225SA	416,130	46	KS280SB	992,710
25	KS225SA	384,850	23	KS225SB	432,320	50	KS280MA	1,040,310
28.5	KS225SB	401,790	25	KS225MA	475,960	57	KS280MB	1,121,900
30	KS225MA	474,850	28.5	KS225MB	526,280	60	KS315SA	1,210,290
36	KS225MB	498,340	30	KS250SA	576,590	67	KS315SB	1,268,770
44	KS250S	599,530	43	KS250MB	719,380	75	KS315MA	1,344,300
50.2	KS250M	720,740	51	KS280SA	803,810			
63	KS280S	788,730	54	KS280SB	843,130			
76	KS280M1	924,720	64.5	KS280MA	874,400			
76	KS280M2	993,830	69	KS280MB	1,006,310			
102	KS315SA	1,100,510	80	KS315S	1,196,690			
106	KS315SB	1,112,520	100	KS315MA	1,298,690			
120	KS315MA	1,247,880						
134	KS315MB	1,346,280						

MANUFACTURERS AUTHORISED CHANNEL PARTNER / MARKETING REPRESENTATIVE:



Cables
Motors
LV Switchgears
Cable Lugs & Glands
LED Lighting & Luminaires
Transformers

Add: 501-505, A-Wing, Express
 Zone, W.E.H, Malad-(E), Mum- 97.
 Tel: 022 6144 1600;
 Email: info@aakashpower.com;
 www.aakashpower.com

Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad (E), Mumbai -400097 Tel No:- 61441600 , Fax No:- 61441650 Email:- info@aakashpower.com

(WEF: 13th April 2021)

MARATHON TEFC Slip Ring Motor suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, Class F/F with temperature rise limited to class B, Ambient 45 Deg C, Mounting B3, Performance IS/IEC:60034-1, Frame Dimensions IS: 1231 & IS: 8223 Protection IP-55 (IS:4691).

KW	HP	Frame	Type Designation	Price	KW	HP	Frame	Type Designation	Price
4 Pole, 1500 RPM					6 Pole, 1000 RPM				
15	20	KS180L	TEFC SR	212,020	11	15	KS180L	TEFC SR	208,810
18.5	25	KS200LA	TEFC SR	243,920	15	20	KS200L	TEFC SR	272,600
22	30	KS200LB	TEFC SR	270,990	18.5	25	KS225S	TEFC SR	351,470
30	40	KS225M	TEFC SR	334,780	22	30	KS225M	TEFC SR	419,960
37	50	KS250MA	TEFC SR	459,020	30	40	KS250S	TEFC SR	533,080
45	60	KS250MB	TEFC SR	548,650	37	50	KSE250M	TEFC SR	555,330
55	75	KSE280S	TEFC SR	604,780	45	60	KSE280SA	TEFC SR	628,760
75	100	KSE280M	TEFC SR	671,410	55	75	KSE280SB	TEFC SR	683,280
90	120	KSE315S	TEFC SR	837,070	75	100	KSE280M	TEFC SR	761,910
110	150	KSE315M	TEFC SR	967,250	90	120	KSE315S	TEFC SR	962,300
125	170	KSE315LA	TEFC SR	1,063,920	110	150	KSE315MA	TEFC SR	1,067,140
132	180	KSE315LB	TEFC SR	1,121,410	125	170	KSE355SA	TEFC SR	1,266,540
160	215	KSE355SA	TEFC SR	1,299,800	132	180	KSE355SB	TEFC SR	1,383,740
185	250	KSE355MA	TEFC SR	1,375,210	160	215	KSE355M	TEFC SR	1,572,640
200	270	KSE355LA	TEFC SR	1,528,010	185	250	KSE355LA	TEFC SR	1,670,920
220	295	KSE355LB	TEFC SR	1,610,100	200	270	KSE355LB	TEFC SR	1,810,250

For Frames Above 355 Please send us enquiry on info@aakashpower.com

MANUFACTURERS AUTHORISED CHANNEL PARTNER / MARKETING REPRESENTATIVE:



Cables
Motors
LV Switchgears
Cable Lugs & Glands
LED Lighting & Luminaires
Transformers

Add: 501-505, A-Wing, Express Zone, W.E.H, Malad-(E), Mum- 97.
Tel: 022 6144 1600;
Email: info@aakashpower.com;
www.aakashpower.com

Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad (E), Mumbai -400097 Tel No:- 61441600 , Fax No:- 61441650 Email:- info@aakashpower.com

(WEF: 13th April 2021)

MARATHON Smoke Spill motors (400 DEG C) TENV suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, Class H temperature rise limited to Class B, Ambient 45 Deg C, Cooling IC418 (Air Over Motor), Duty S1, Mounting B3, Conforming to IS/IEC:60034 - 1, Proformance IS/IEC:60034-1, Protection IP-55. Thermal Capacity under abnormal condition 400 Deg C for 2 Hours. Specification BS EN:12101-3

KW	HP	Frame	Type Designation	Price	KW	HP	Frame	Type Designation	Price
2 Pole, 3000 RPM					4 Pole, 1500 RPM				
0.75	1	80	Smoke Spill 400°C	23,490	0.55	0.75	80	Smoke Spill 400°C	23,990
1.1	1.5	80	Smoke Spill 400°C	25,470	0.75	1	80	Smoke Spill 400°C	24,240
1.5	2	90S	Smoke Spill 400°C	29,180	1.1	1.5	90S	Smoke Spill 400°C	29,430
2.2	3	90L	Smoke Spill 400°C	37,590	1.5	2	90L	Smoke Spill 400°C	35,610
3.7	5	100L	Smoke Spill 400°C	46,490	2.2	3	100L	Smoke Spill 400°C	42,280
5.5	7.5	132S	Smoke Spill 400°C	79,120	3.7	5	112M	Smoke Spill 400°C	53,660
7.5	10	132S	Smoke Spill 400°C	86,050	5.5	7.5	132S	Smoke Spill 400°C	74,670
11	15	160M	Smoke Spill 400°C	153,050	7.5	10	132M	Smoke Spill 400°C	88,030
15	20	160L	Smoke Spill 400°C	164,430	11	15	160M	Smoke Spill 400°C	147,120
18.5	25	160L	Smoke Spill 400°C	211,400	15	20	160L	Smoke Spill 400°C	177,280
22	30	180M	Smoke Spill 400°C	237,360	18.5	25	180M	Smoke Spill 400°C	226,980
30	40	200L	Smoke Spill 400°C	348,630	22	30	180L	Smoke Spill 400°C	248,490
37	50	200L	Smoke Spill 400°C	423,050	30	40	200L	Smoke Spill 400°C	342,940
KW	HP	Frame	Type Designation	Price	KW	HP	Frame	Type Designation	Price
6 Pole, 1000 RPM					8 Pole, 750 RPM				
0.37	0.5	80	Smoke Spill 400°C	25,470	0.37	0.5	90S	Smoke Spill 400°C	30,910
0.55	0.75	80	Smoke Spill 400°C	26,210	0.55	0.75	90L	Smoke Spill 400°C	33,880
0.75	1	90S	Smoke Spill 400°C	29,430	0.75	1	100LA	Smoke Spill 400°C	41,540
1.1	1.5	90L	Smoke Spill 400°C	32,150	1.1	1.5	100LB	Smoke Spill 400°C	50,690
1.5	2	100L	Smoke Spill 400°C	46,490	1.5	2	112M	Smoke Spill 400°C	58,600
2.2	3	112M	Smoke Spill 400°C	49,450	2.2	3	132S	Smoke Spill 400°C	77,640
3.7	5	132S	Smoke Spill 400°C	76,900	3.7	5	160M	Smoke Spill 400°C	120,910
5.5	7.5	132M	Smoke Spill 400°C	94,700	5.5	7.5	160M	Smoke Spill 400°C	151,070
7.5	10	160M	Smoke Spill 400°C	144,400	7.5	10	160L	Smoke Spill 400°C	191,620
11	15	160L	Smoke Spill 400°C	177,780	11	15	180L	Smoke Spill 400°C	262,830
15	20	180L	Smoke Spill 400°C	232,170	15	20	200L	Smoke Spill 400°C	369,890
18.5	25	200LA	Smoke Spill 400°C	331,320					
22	30	200LB	Smoke Spill 400°C	356,790					

MANUFACTURERS AUTHORISED CHANNEL PARTNER / MARKETING REPRESENTATIVE:

POLYCRAB | hindustan ELECTRIC MOTORS | SIEMENS | marathon | dowells | ELECTROTHERM

Cables Motors
 LV Switchgears
 Cable Lugs & Glands
 LED Lighting & Luminaires
 Transformers

Add: 501-505, A-Wing, Express Zone, W.E.H, Malad-(E), Mum- 97.
 Tel: 022 6144 1600;
 Email: info@aakashpower.com; www.aakashpower.com

Note : For Dual Speed Smoke Spill Motors - Mail Us Enquiry on info@aakashpower.com

Price 10% extra for 1 meter long flying leads (Subject to Maximum Rs. 5000/-)

Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad (E), Mumbai -400097 Tel No:- 61441600 , Fax No:- 61441650 Email:- info@akashpower.com

(WEF: 13th April 2021)

MARATHON Smoke Spill motors (300 DEG C) TENV suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, Class H temperature rise limited to Class B, Ambient 45 Deg C, Cooling IC418 (Air Over Motor), Duty S1, Mounting B3, Conforming to IS/IEC:60034 - 1, Proformance IS/IEC:60034-1, Protection IP-55. Thermal Capacity under abnormal condition 300 Deg C for 2 Hours. Specification BS EN:12101-3

KW	HP	Frame	Type Designation	Price	KW	HP	Frame	Type Designation	Price
2Pole, 3000 RPM					4 Pole, 1500 RPM				
0.75	1	80	Smoke Spill 300°C	15,330	0.55	0.75	80	Smoke Spill 300°C	15,330
1.1	1.5	80	Smoke Spill 300°C	16,570	0.75	1	80	Smoke Spill 300°C	15,460
1.5	2	90S	Smoke Spill 300°C	18,920	1.1	1.5	90S	Smoke Spill 300°C	19,170
2.2	3	90L	Smoke Spill 300°C	24,480	1.5	2	90L	Smoke Spill 300°C	23,120
3.7	5	100L	Smoke Spill 300°C	30,170	2.2	3	100L	Smoke Spill 300°C	27,450
5.5	7.5	132S	Smoke Spill 300°C	51,430	3.7	5	112M	Smoke Spill 300°C	34,870
7.5	10	132S	Smoke Spill 300°C	55,880	5.5	7.5	132S	Smoke Spill 300°C	48,590
11	15	160M	Smoke Spill 300°C	99,520	7.5	10	132M	Smoke Spill 300°C	57,240
15	20	160L	Smoke Spill 300°C	106,940	11	15	160M	Smoke Spill 300°C	95,690
18.5	25	160L	Smoke Spill 300°C	137,480	15	20	160L	Smoke Spill 300°C	115,220
22	30	180M	Smoke Spill 300°C	154,290	18.5	25	180M	Smoke Spill 300°C	147,490
30	40	200L	Smoke Spill 300°C	226,610	22	30	180L	Smoke Spill 300°C	161,580
37	50	200L	Smoke Spill 300°C	274,950	30	40	200L	Smoke Spill 300°C	222,900
KW	HP	Frame	Type Designation	Price	KW	HP	Frame	Type Designation	Price
6 Pole, 1000 RPM					8 Pole, 750 RPM				
0.37	0.5	80	Smoke Spill 300°C	16,570	0.37	0.5	90S	Smoke Spill 300°C	20,160
0.55	0.75	80	Smoke Spill 300°C	17,070	0.55	0.75	90L	Smoke Spill 300°C	22,010
0.75	1	90S	Smoke Spill 300°C	19,170	0.75	1	100LA	Smoke Spill 300°C	26,960
1.1	1.5	90L	Smoke Spill 300°C	20,900	1.1	1.5	100LB	Smoke Spill 300°C	33,010
1.5	2	100L	Smoke Spill 300°C	30,170	1.5	2	112M	Smoke Spill 300°C	38,080
2.2	3	112M	Smoke Spill 300°C	32,150	2.2	3	132S	Smoke Spill 300°C	50,440
3.7	5	132S	Smoke Spill 300°C	49,950	3.7	5	160M	Smoke Spill 300°C	78,630
5.5	7.5	132M	Smoke Spill 300°C	61,570	5.5	7.5	160M	Smoke Spill 300°C	98,160
7.5	10	160M	Smoke Spill 300°C	93,840	7.5	10	160L	Smoke Spill 300°C	124,620
11	15	160L	Smoke Spill 300°C	115,590	11	15	180L	Smoke Spill 300°C	170,850
15	20	180L	Smoke Spill 300°C	150,950	15	20	200L	Smoke Spill 300°C	240,460
18.5	25	200LA	Smoke Spill 300°C	215,360					
22	30	200LB	Smoke Spill 300°C	231,930					

MANUFACTURERS AUTHORISED CHANNEL PARTNER / MARKETING REPRESENTATIVE:



Cables Motors
 LV Switchgears
 Cable Lugs & Glands
 LED Lighting & Luminaires
 Transformers

Add: 501-505, A-Wing, Express Zone, W.E.H, Malad-(E), Mum- 97.
 Tel: 022 6144 1600;
 Email: info@akashpower.com;
 www.akashpower.com

Note : For Dual Speed Smoke Spill Motors - Mail Us Enquiry on info@akashpower.com

Note 2: For Requirement of 300 Deg C 1 Hour - Mail Us Enquiry on info@akashpower.com

Price 10% extra for 1 meter long flying leads (Subject to Maximum Rs. 2500/-)

Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad (E), Mumbai -400097 Tel No:- 61441600 , Fax No:- 61441650 Email:- info@aakashpower.com

(WEF: 13th April 2021)

MARATHON Smoke Spill motors (250 DEG C) TENV suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, Class H temperature rise limited to Class B, Ambient 45 Deg C, Cooling IC418 (Air Over Motor), Duty S1, Mounting B3, Conforming to IS/IEC:60034 - 1, Proformance IS/IEC:60034-1, Protection IP-55. Thermal Capacity under abnormal condition 250 Deg C for 2 Hours.

KW	HP	Frame	Type Designation	Price	KW	HP	Frame	Type Designation	Price
2 Pole, 3000 RPM					4 Pole, 1500 RPM				
0.75	1	80	Smoke Spill 250°C	14,720	0.55	0.75	80	Smoke Spill 250°C	14,720
1.1	1.5	80	Smoke Spill 250°C	15,950	0.75	1	80	Smoke Spill 250°C	14,840
1.5	2	90S	Smoke Spill 250°C	18,300	1.1	1.5	90S	Smoke Spill 250°C	18,430
2.2	3	90L	Smoke Spill 250°C	23,490	1.5	2	90L	Smoke Spill 250°C	22,260
3.7	5	100L	Smoke Spill 250°C	29,060	2.2	3	100L	Smoke Spill 250°C	26,460
5.5	7.5	132S	Smoke Spill 250°C	49,450	3.7	5	112M	Smoke Spill 250°C	33,510
7.5	10	132S	Smoke Spill 250°C	53,780	5.5	7.5	132S	Smoke Spill 250°C	46,740
11	15	160M	Smoke Spill 250°C	95,690	7.5	10	132M	Smoke Spill 250°C	55,020
15	20	160L	Smoke Spill 250°C	102,740	11	15	160M	Smoke Spill 250°C	91,980
18.5	25	160L	Smoke Spill 250°C	132,160	15	20	160L	Smoke Spill 250°C	110,770
22	30	180M	Smoke Spill 250°C	148,350	18.5	25	180M	Smoke Spill 250°C	141,930
30	40	200L	Smoke Spill 250°C	217,960	22	30	180L	Smoke Spill 250°C	155,280
37	50	200L	Smoke Spill 250°C	264,440	30	40	200L	Smoke Spill 250°C	214,370
KW	HP	Frame	Type Designation	Price	KW	HP	Frame	Type Designation	Price
6 Pole, 1000 RPM					8 Pole, 750 RPM				
0.37	0.5	80	Smoke Spill 250°C	15,950	0.37	0.5	90S	Smoke Spill 250°C	19,290
0.55	0.75	80	Smoke Spill 250°C	16,450	0.55	0.75	90L	Smoke Spill 250°C	21,140
0.75	1	90S	Smoke Spill 250°C	18,430	0.75	1	100LA	Smoke Spill 250°C	25,970
1.1	1.5	90L	Smoke Spill 250°C	20,160	1.1	1.5	100LB	Smoke Spill 250°C	31,650
1.5	2	100L	Smoke Spill 250°C	29,060	1.5	2	112M	Smoke Spill 250°C	36,600
2.2	3	112M	Smoke Spill 250°C	30,910	2.2	3	132S	Smoke Spill 250°C	48,590
3.7	5	132S	Smoke Spill 250°C	48,100	3.7	5	160M	Smoke Spill 250°C	75,540
5.5	7.5	132M	Smoke Spill 250°C	59,220	5.5	7.5	160M	Smoke Spill 250°C	94,450
7.5	10	160M	Smoke Spill 250°C	90,250	7.5	10	160L	Smoke Spill 250°C	119,800
11	15	160L	Smoke Spill 250°C	111,140	11	15	180L	Smoke Spill 250°C	164,300
15	20	180L	Smoke Spill 250°C	145,140	15	20	200L	Smoke Spill 250°C	231,180
18.5	25	200LA	Smoke Spill 250°C	207,080					
22	30	200LB	Smoke Spill 250°C	223,020					

MANUFACTURERS AUTHORISED CHANNEL PARTNER / MARKETING REPRESENTATIVE:

POLYCARB |  **hindustan** ELECTRIC MOTORS |  **SIEMENS** |  **marathon** MOTORS |  **dowells** |  **ELECTROTHERM**

Cables
Motors
 LV Switchgears
 Cable Lugs & Glands
 LED Lighting & Luminaires
 Transformers

Add: 501-505, A-Wing, Express Zone, W.E.H, Malad-(E), Mum- 97.
 Tel: 022 6144 1600;
 Email: info@aakashpower.com;
 www.aakashpower.com

Note 1: For Dual Speed Smoke Spill Motors - Mail Us Enquiry on info@aakashpower.com

Note 2: For Requirement of 250 Deg C 1 Hour - Mail Us Enquiry on info@aakashpower.com

Price 10% extra for 1 meter long flying leads (Subject to Maximum Rs. 2500/-)

Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad (E), Mumbai -400097 Tel No:- 61441600 , Fax No:- 61441650 Email:- info@akashpower.com

(WEF: 13th April 2021)

Cash Extras For Non - Standard Features of LT Motors

Frame Size : 71 To 355

S. No.	Special Features	Extra Price	
1	Shaft Extension		
	a.Double Cylindrical / Single Taper (1:10)	5%	
	b. Double Taper (1:10)	10%	
2	Mounting		
	Standard flange and face mounting		
	Upto 160 frame	3.00%	
	Frame 180 and above	5.00%	
3	Winding Treatment		
	Power House Treatment	5%	
	VPI Treatment	5%	
	Anticorrosive Treatment with Gelcoat on Winding Overhang	3%	
4	Painting (External)		
	Epoxy standard paint shade	3%	
	Epoxy non-standard paint shade	5%	
	Non Epoxy		
	Non-standard Shade	5% (Max. Rs.7,000/-)	
	Paint Thickness		
	Paint thickness above 50 micron upto 150 micron	4%	
Paint thickness above 150 micron upto 215 micron	6%		
5	Space Heater		
	Upto Frame 160	Rs. 1200	
	Frame 180 to 355 frame	Rs. 2650	
	Thermistor		
	3 Nos.	Rs. 2150	
6 Nos.	Rs. 4300		
6	Non Standard Voltage		
	Voltage 220 -550 with frequency 50 Hz or 60 Hz	3%	
	Dual Voltage	5%	
7	Non Standard RV / RA for Slipring Motors (Subject to confirmation from Works)	5%	
8	Vibration Level (IS-12075)		
	Normal Class	No Extra	
	Precision Class A, B, C	On Request	
9	Testing Charges Per Motor		
	Frame Size	Routine Test	Type Test
	upto 132	Rs. 1200	Rs. 5000
	160-255	Rs. 2400	Rs. 7500
	250-280	Rs. 3600	Rs. 10000
250-355	Rs. 3600	Rs. 15000	
10	Non Sparking Type (Type 'n')	10.00%	
11	Increased Safety (Type 'e')	15%	
12	IP 56	5%	
13	Class 'H'	10%	
14	Dual Speed Upto 8 Pole	10%	
15	Cable Gland (Non - FLP)		
	80 -132	Rs. 800/Rs 1500	
	160 - 225	Rs. 2000/Rs 2500	
	250 - 315	Rs. 2500/Rs 4500	
	RTD (TerraMAX series frame 200-355 and for other product series frame 280-355)		

Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad (E), Mumbai -400097 Tel No:- 61441600 , Fax No:- 61441650 Email:- info@aakashpower.com

(WEF: 13th April 2021)

Cash Extras For Non - Standard Features of LT Motors

16	3 nos. simplex	Rs. 4000
	6 nos. simplex	Rs. 8000
	3 nos. duplex	Rs. 8000
	6 nos. duplex	
	Note: For lower frames, contact Regal.	Rs. 16000
17	BTD (TerraMAX series frame 200-355 and for other product series frame 280-355)	
	2 nos. simplex	Rs. 7500
	2 nos. simplex	Rs. 12000
	Note: For lower frames, contact Regal.	
18	FLP - For Gas Group - I, Cable Sealing Box Arrangement	
	KF90L - KF132M	Rs. 1700
	KF160M - KF225M	Rs. 2000
	KF250M - KF355L	Rs. 3600
19	Fault Level Terminal Box (50 kA for 0.25 Sec)	
	Frame Size 280 & above	Rs. 50000
20	Roller Bearing On DE Side	
	Frame Size	
	D 132	Rs. 1500
	D 160-180	Rs. 2000
	D 200-250	Rs. 3500
	D 280-315	Rs. 6000
D 355	Rs. 9000	
21	Bigger Size Terminal Box (other than TerramAX motors range)	
	Frame Size	
	D 112 - 132	Rs. 1200
	D 160 - 180	Rs. 2000
	D 200 - 225	Rs. 3000
	D 250 - 280	Rs. 5000
D 315	Rs. 7500	
22	Bigger Size Terminal Box for TerramAX motors range)	
	Frame Size	
	D 160 - 180	4%
	D 225-315	3%
23	Insulated Bearing Housing on NDE Side (Applicable for TerraMAX 315-355 & VD280 - VD355 Frame or	
	Frame Size	
	280	Rs. 10000
	315	Rs. 12000
	355	Rs. 14000
	VVVF Driven Motor Frame Size 280 & above will be provided with Insulated Bearing Housing at NDE Side for both Variable Torque & Constant Torque Application	
24	Seaworthy / Export Packing	7.5% (Max.Rs.15000)
25	Force Cooling (IC 416) arrangement (For Force Cooling of Lower Frames - refer to Work)	
	100 - 132	Rs. 15000
	160 - 180	Rs. 15000
	200 - 225	Rs. 20000
	250-280	Rs. 25000

Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad (E), Mumbai -400097 Tel No:- 61441600 , Fax No:- 61441650 Email:- info@aakashpower.com

(WEF: 13th April 2021)

Cash Extras For Non - Standard Features of LT Motors

	315							Rs. 31000
	355							Rs. 35000
	Note: For TerraMAX series and force cooling of lower frames - contact Regal.							
26	Documentation Charges (Technical / Commercial)							
	Documentation for Approval / Submission							Rs. 1200 per rating
	RTF							Rs. 5000 per rating
27	VVVF Driven Motor (VD)							
	Upto 132							8%
	160 - 250							8%
	280 - 355							8%
28	Encoder mounting arrangement (for hollow shaft encoder)							7.5% (with 5000 max 7500)
29	VKD Series							
	Upto 132							8% extra on KD
	160 and Above							8% extra on KD
31	Insulated Bearing Charges							
	250 - 280							Rs. 31000
	315							Rs. 31000
	355							Rs. 40000
32	ZONE	Gas Group	Temp Class	Frame	Certification	Type		
	Zone 1 & 2	IIC	T1, T2, T3	KF80 - KF160L	BIS / PESO	Type 'd'		1.2 Times ALP on FLP (No Discount) PLEASE CONTACT REGAL Refer to extra price for type 'e' Refer to extra price for type 'n'
	Zone 1 & 2	IIC	T1 - T6	71 - 355	PESO, ATEX, IECEX	Type 'd'		
	Zone 2	IIA, IIB, IIC	T1, T2, T3	E80 - E355	PESO	Type 'e'		
	Zone 2	IIA, IIB, IIC	T1, T2, T3	E80 - E355	PESO	Type 'n'		
Zone 2	IIA, IIB, IIC	T1, T2, T3	E80 - E355	PESO	Type 'n'			

MANUFACTURERS AUTHORISED CHANNEL PARTNER / MARKETING REPRESENTATIVE:







**Cables
 Motors
 LV Switchgears
 Cable Lugs & Glands
 LED Lighting & Luminaires
 Transformers**

 Add: 501-505, A-Wing, Express Zone, W.E.H, Malad-(E), Mum- 97.
 Tel: 022 6144 1600;
 Email: info@aakashpower.com;
 www.aakashpower.com