

Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad ( E ), Mumbai -400097 Tel No:- 61441600 , Fax No:- 61441650

Email:- info@akashpower.com

**HINDUSTAN Flameproof IE3 induction motors suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, foot mounted (B3 construction), ambient temperature 50°C, TEFC, Class 'F' insulation, IP55 protection, continuous rated (S1 duty) with bare shaft & key as per IEC: 60034-1 & suitable for gas group IIB as per IS/IEC:60079-1.**

KW	HP	Frame	Type Designation	Price	KW	HP	Frame	Type Designation	Price
<b>2 Pole, 3000 RPM</b>					<b>4 Pole, 1500 RPM</b>				
0.37	0.5	71 FLP	Flameproof IE3	15780	0.37	0.5	71 FLP	Flameproof IE3	15820
0.55	0.75	71 FLP	Flameproof IE3	17630	0.55	0.75	80 FLP	Flameproof IE3	17420
0.75	1	80 FLP	Flameproof IE3	18110	0.75	1	80 FLP	Flameproof IE3	18170
1.1	1.5	80 FLP	Flameproof IE3	20240	1.1	1.5	90 FLP	Flameproof IE3	20730
1.5	2	90 FLP	Flameproof IE3	22650	1.5	2	90 FLP	Flameproof IE3	22520
2.2	3	90 FLP	Flameproof IE3	28310	2.2	3	100L FLP	Flameproof IE3	28690
3.7	5	100L FLP	Flameproof IE3	35990	3.7	5	112M FLP	Flameproof IE3	36400
5.5	7.5	132M FLP	Flameproof IE3	60340	5.5	7.5	132M FLP	Flameproof IE3	50060
7.5	10	132M FLP	Flameproof IE3	59030	7.5	10	132M FLP	Flameproof IE3	56980
9.3	12.5	160L FLP	Flameproof IE3	87270	9.3	12.5	160L FLP	Flameproof IE3	91630
11	15	160L FLP	Flameproof IE3	99710	11	15	160L FLP	Flameproof IE3	96630
15	20	160L FLP	Flameproof IE3	126300	15	20	160L FLP	Flameproof IE3	117750
18.5	25	160L FLP	Flameproof IE3	137610	18.5	25	180L FLP	Flameproof IE3	124420
22	30	180L FLP	Flameproof IE3	155500	22	30	180L FLP	Flameproof IE3	141720
30	40	200L FLP	Flameproof IE3	209820	30	40	200L FLP	Flameproof IE3	190920
37	50	200L FLP	Flameproof IE3	272270	37	50	225SX FLP	Flameproof IE3	248690
45	60	225M FLP	Flameproof IE3	344080	45	60	225MX FLP	Flameproof IE3	313040
<b>6 Pole, 1000 RPM</b>									
0.37	0.5	80 FLP	Flameproof IE3	18340					
0.55	0.75	80 FLP	Flameproof IE3	18780					
0.75	1	90 FLP	Flameproof IE3	21880					
1.1	1.5	90 FLP	Flameproof IE3	22610					
1.5	2	100L FLP	Flameproof IE3	32610					
2.2	3	112M FLP	Flameproof IE3	37900					
3.7	5	132M FLP	Flameproof IE3	50300					
5.5	7.5	132M FLP	Flameproof IE3	60880					
7.5	10	160L FLP	Flameproof IE3	98760					
9.3	12.5	160L FLP	Flameproof IE3	114090					
11	15	160L FLP	Flameproof IE3	118870					
15	20	180L FLP	Flameproof IE3	148250					
18.5	25	200L FLP	Flameproof IE3	181010					
22	30	200L FLP	Flameproof IE3	196380					
30	40	225MX FLP	Flameproof IE3	321910					

PRICES OF FRAME SIZES ABOVE 225M AVAILABLE ON REQUEST

Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad ( E ), Mumbai -400097 Tel No:- 61441600 , Fax No:- 61441650

Email:- info@aakashpower.com+A36

**HINDUSTAN Flameproof IE2 induction motors suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, foot mounted (B3 construction), ambient temperature 50°C, TEFC, Class 'F' insulation, IP55 protection, continuous rated (S1 duty) with bare shaft & key as per IEC: 60034-1 & suitable for gas group IIB as per IS/IEC:60079-1.**

KW	HP	Frame	Type Designation	Price	KW	HP	Frame	Type Designation	Price
<b>2 Pole, 3000 RPM</b>					<b>4 Pole, 1500 RPM</b>				
0.37	0.5	71 FLP	Flame Proof IE2	13720	0.37	0.5	71 FLP	Flame Proof IE2	13750
0.55	0.75	71 FLP	Flame Proof IE2	15320	0.55	0.75	80 FLP	Flame Proof IE2	15140
0.75	1	80 FLP	Flame Proof IE2	15740	0.75	1	80 FLP	Flame Proof IE2	15780
1.1	1.5	80 FLP	Flame Proof IE2	17580	1.1	1.5	90 FLP	Flame Proof IE2	18020
1.5	2	90 FLP	Flame Proof IE2	19690	1.5	2	90 FLP	Flame Proof IE2	19570
2.2	3	90 FLP	Flame Proof IE2	24610	2.2	3	100L FLP	Flame Proof IE2	24950
3.7	5	100L FLP	Flame Proof IE2	31290	3.7	5	112M FLP	Flame Proof IE2	31640
5.5	7.5	132M FLP	Flame Proof IE2	52470	5.5	7.5	132M FLP	Flame Proof IE2	43530
7.5	10	132M FLP	Flame Proof IE2	51320	7.5	10	132M FLP	Flame Proof IE2	49540
9.3	12.5	160L FLP	Flame Proof IE2	75880	9.3	12.5	160L FLP	Flame Proof IE2	76350
11	15	160L FLP	Flame Proof IE2	86700	11	15	160L FLP	Flame Proof IE2	80520
15	20	160L FLP	Flame Proof IE2	109810	15	20	160L FLP	Flame Proof IE2	98120
18.5	25	160L FLP	Flame Proof IE2	119660	18.5	25	180L FLP	Flame Proof IE2	103680
22	30	180L FLP	Flame Proof IE2	135210	22	30	180L FLP	Flame Proof IE2	123230
30	40	200L FLP	Flame Proof IE2	182450	30	40	200L FLP	Flame Proof IE2	166010
37	50	200L FLP	Flame Proof IE2	236750	37	50	225SX FLP	Flame Proof IE2	216240
45	60	225M FLP	Flame Proof IE2	299200	45	60	225MX FLP	Flame Proof IE2	272200
55	75	250M FLP	Flame Proof IE2	367300	55	75	250MX FLP	Flame Proof IE2	334430
75	100	280S FLP	Flame Proof IE2	469380	75	100	280SX FLP	Flame Proof IE2	409800
90	120	280M FLP	Flame Proof IE2	486310	90	120	280MX FLP	Flame Proof IE2	417730

Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad ( E ), Mumbai -400097 Tel No:- 61441600 , Fax No:- 61441650

Email:- info@aakashpower.com

**HINDUSTAN Flameproof IE2 induction motors suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, foot mounted (B3 construction), ambient temperature 50°C, TEFC, Class 'F' insulation, IP55 protection, continuous rated (S1 duty) with bare shaft & key as per IEC: 60034-1 & suitable for gas group IIB as per IS/IEC:60079-1.**

KW	HP	Frame	Type Designation	Price
<b>6 Pole, 1000 RPM</b>				
0.37	0.5	80 FLP	Flame Proof IE2	15940
0.55	0.75	80 FLP	Flame Proof IE2	16330
0.75	1	90 FLP	Flame Proof IE2	19030
1.1	1.5	90 FLP	Flame Proof IE2	19650
1.5	2	100L FLP	Flame Proof IE2	28350
2.2	3	112M FLP	Flame Proof IE2	32950
3.7	5	132M FLP	Flame Proof IE2	43740
5.5	7.5	132M FLP	Flame Proof IE2	52930
7.5	10	160L FLP	Flame Proof IE2	82290
9.3	12.5	160L FLP	Flame Proof IE2	95080
11	15	160L FLP	Flame Proof IE2	99060
15	20	180L FLP	Flame Proof IE2	128900
18.5	25	200L FLP	Flame Proof IE2	157390
22	30	200L FLP	Flame Proof IE2	170760
30	40	225MX FLP	Flame Proof IE2	279920
37	50	250MX FLP	Flame Proof IE2	343780
45	60	280SX FLP	Flame Proof IE2	398770
55	75	280MX FLP	Flame Proof IE2	430130

Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad ( E ), Mumbai -400097 Tel No:- 661441600 , Fax No:- 61441650

Email:- info@aakashpower.com

**HINDUSTAN Flameproof energy efficient induction motors suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, foot mounted (B3 construction), ambient temperature 50°C, TEFC, Class 'F' insulation, IP55 protection, continuous rated (S1 duty) with bare shaft & key & suitable for gas group IIB as per IS/IEC:60079-1.**

KW	HP	Frame	Type Designation	Price	KW	HP	Frame	Type Designation	Price
<b>2 Pole, 3000 RPM</b>					<b>4 Pole, 1500 RPM</b>				
0.37	0.5	71 FLP	Flameproof EFF1	13940	0.37	0.5	71 FLP	Flameproof EFF1	13710
0.55	0.75	71 FLP	Flameproof EFF1	15590	0.55	0.75	80 FLP	Flameproof EFF1	15140
0.75	1	80 FLP	Flameproof EFF1	16090	0.75	1	80 FLP	Flameproof EFF1	15750
1.1	1.5	80 FLP	Flameproof EFF1	17940	1.1	1.5	90 FLP	Flameproof EFF1	17990
1.5	2	90 FLP	Flameproof EFF1	20110	1.5	2	90 FLP	Flameproof EFF1	19530
2.2	3	90 FLP	Flameproof EFF1	25140	2.2	3	100L FLP	Flameproof EFF1	24830
3.7	5	100L FLP	Flameproof EFF1	31930	3.7	5	112M FLP	Flameproof EFF1	31460
5.5	7.5	132M FLP	Flameproof EFF1	54160	5.5	7.5	132M FLP	Flameproof EFF1	43260
7.5	10	132M FLP	Flameproof EFF1	71860	7.5	10	132M FLP	Flameproof EFF1	49270
9.3	12.5	160L FLP	Flameproof EFF1	89580	9.3	12.5	160L FLP	Flameproof EFF1	73810
11	15	160L FLP	Flameproof EFF1	84100	11	15	160L FLP	Flameproof EFF1	77990
15	20	160L FLP	Flameproof EFF1	102040	15	20	160L FLP	Flameproof EFF1	95020
18.5	25	160L FLP	Flameproof EFF1	116090	18.5	25	180L FLP	Flameproof EFF1	100590
22	30	180L FLP	Flameproof EFF1	131170	22	30	180L FLP	Flameproof EFF1	119550
30	40	200L FLP	Flameproof EFF1	177040	30	40	200L FLP	Flameproof EFF1	161080
37	50	200L FLP	Flameproof EFF1	229720	37	50	225SX FLP	Flameproof EFF1	209820
45	60	225M FLP	Flameproof EFF1	290300	45	60	225MX FLP	Flameproof EFF1	264140
55	75	250M FLP	Flameproof EFF1	356380	55	75	250MX FLP	Flameproof EFF1	324480
75	100	280M FLP	Flameproof EFF1	455410	75	100	280SX FLP	Flameproof EFF1	397630
90	120	280M FLP	Flameproof EFF1	471890	90	120	280MX FLP	Flameproof EFF1	405360

Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad ( E ), Mumbai -400097 Tel No:- 61441600 , Fax No:- 61441650

Email:- info@aakashpower.com

**HINDUSTAN Flameproof energy efficient induction motors suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, foot mounted (B3 construction), ambient temperature 50°C, TEFC, Class 'F' insulation, IP55 protection, continuous rated (S1 duty) with bare shaft & key & suitable for gas group IIB as per IS/IEC:60079-1.**

KW	HP	Frame	Type Designation	Price	KW	HP	Frame	Type Designation	Price
<b>6 Pole, 1000 RPM</b>					<b>8 Pole, 750 RPM</b>				
0.37	0.5	80 FLP	Flameproof EFF1	15960	0.37	0.5	90 FLP	Flameproof EFF1	18680
0.55	0.75	80 FLP	Flameproof EFF1	16340	0.55	0.75	90 FLP	Flameproof EFF1	20230
0.75	1	90 FLP	Flameproof EFF1	19030	0.75	1	100L FLP	Flameproof EFF1	24470
1.1	1.5	90 FLP	Flameproof EFF1	19630	1.1	1.5	100L FLP	Flameproof EFF1	28480
1.5	2	100L FLP	Flameproof EFF1	28370	1.5	2	112M FLP	Flameproof EFF1	34160
2.2	3	112M FLP	Flameproof EFF1	32970	2.2	3	132M FLP	Flameproof EFF1	45150
3.7	5	132M FLP	Flameproof EFF1	43740	3.7	5	160L FLP	Flameproof EFF1	68360
5.5	7.5	132M FLP	Flameproof EFF1	52950	5.5	7.5	160L FLP	Flameproof EFF1	82100
7.5	10	160L FLP	Flameproof EFF1	78510	7.5	10	160L FLP	Flameproof EFF1	100150
9.3	12.5	160L FLP	Flameproof EFF1	90710	9.3	12.5	180L FLP	Flameproof EFF1	124570
11	15	160L FLP	Flameproof EFF1	96150	11	15	180L FLP	Flameproof EFF1	125530
15	20	180L FLP	Flameproof EFF1	122910	15	20	200L FLP	Flameproof EFF1	169690
18.5	25	200L FLP	Flameproof EFF1	152810	18.5	25	225SX FLP	Flameproof EFF1	210660
22	30	200L FLP	Flameproof EFF1	165770	22	30	225MX FLP	Flameproof EFF1	277250
30	40	225MX FLP	Flameproof EFF1	271790	30	40	250MX FLP	Flameproof EFF1	340500
37	50	250MX FLP	Flameproof EFF1	333750	37	50	280SX FLP	Flameproof EFF1	417100
45	60	280SX FLP	Flameproof EFF1	387130	45	60	280MX FLP	Flameproof EFF1	425960
55	75	280MX FLP	Flameproof EFF1	417600					

Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad ( E ), Mumbai -400097 Tel No:- 61441600 , Fax No:- 61441650

Email:- info@aakashpower.com

**HINDUSTAN make flameproof Cooling tower motors' price list no. 26/2013 effective from 22-04-2013 for flange mounted (B5 construction) flameproof induction motors suitable for 415V±10%, 50Hz±5%, 3 phase AC supply, with ambient temperature 50°C, class 'F' insulation, IP55 protection, continuous rated (S1 duty), & suitable for gas group IIB as per IS/IEC:60079-1.**

KW	HP	Frame	Type Designation	Price	KW	HP	Frame	Type Designation	Price
<b>4 Pole, 1500 RPM</b>					<b>10 Pole, 600 RPM</b>				
0.37	0.5	71 FLP	Cooling Tower FLP	11990	1.5	2	132M	Cooling Tower FLP	40220
0.55	1	80 FLP	Cooling Tower FLP	13250	2.2	3	132M	Cooling Tower FLP	65130
0.75	1	80 FLP	Cooling Tower FLP	13780	3.7	5	160L FLP	Cooling Tower FLP	81550
1.1	1.5	90 FLP	Cooling Tower FLP	15730	5.5	7.5	180L FLP	Cooling Tower FLP	110670
1.5	2	90 FLP	Cooling Tower FLP	17090	7.5	10	180L FLP	Cooling Tower FLP	124890
<b>6 Pole, 1000 RPM</b>					9.3	12.5	180L FLP	Cooling Tower FLP	149820
0.75	1	90 FLP	Cooling Tower FLP	16650	11	15	180L FLP	Cooling Tower FLP	200300
1.1	1.5	90 FLP	Cooling Tower FLP	17180	15	20	200L FLP	Cooling Tower FLP	195130
1.5	2	100L FLP	Cooling Tower FLP	24940	18.5	25	225MX	Cooling Tower FLP	289840
2.2	3	112M FLP	Cooling Tower FLP	28850	<b>12 Pole, 500 RPM</b>				
3.7	5	132M FLP	Cooling Tower FLP	38280	1.1	1.5	132M	Cooling Tower FLP	40220
5.5	7.5	132M FLP	Cooling Tower FLP	46340	1.5	2	132M	Cooling Tower FLP	65130
7.5	10	160L FLP	Cooling Tower FLP	71670	2.2	3	160L FLP	Cooling Tower FLP	81550
9.3	12.5	160L FLP	Cooling Tower FLP	82830	3.7	5	160L FLP	Cooling Tower FLP	99490
11	15	160L FLP	Cooling Tower FLP	87790	5.5	7.5	180L FLP	Cooling Tower FLP	116440
<b>8 Pole, 750 RPM</b>					7.5	10	180L FLP	Cooling Tower FLP	135970
1.1	1.5	100L FLP	Cooling Tower FLP	21410	9.3	12.5	180L FLP	Cooling Tower FLP	155380
1.5	2	112M FLP	Cooling Tower FLP	29900	11	15	200L FLP	Cooling Tower FLP	202610
2.2	3	132M FLP	Cooling Tower FLP	39500	15	20	225MX	Cooling Tower FLP	296140
3.7	5	132M FLP	Cooling Tower FLP	63910	18.5	25	250MX	Cooling Tower FLP	363720
5.5	7.5	160L FLP	Cooling Tower FLP	73370	22	30	280SX	Cooling Tower FLP	496540
7.5	10	160L FLP	Cooling Tower FLP	89500	30	40	280MX	Cooling Tower FLP	507100
9.3	12.5	180L FLP	Cooling Tower FLP	113770					
11	15	180L FLP	Cooling Tower FLP	119820					
15	20	200L FLP	Cooling Tower FLP	161970					

Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad ( E ), Mumbai -400097 Tel No:- 61441600 , Fax No:- 61441650

Email:- info@aakashpower.com

**HINDUSTAN brand Crane duty flameproof electric motors' price list no. 05/2013 effective from 22-04-2013 for foot mounted (B3 construction) flameproof induction motors suitable for 415V±10%, 50Hz±5%, 3 phase supply, ambient temperature 50°C, class 'F' insulation, IP55 protection, S4 duty, 40% CDF, 150 starts/stops per hour with bare shaft & key & suitable for gas group IIB as per IS/IEC:60079-1.**

KW	HP	Frame	Type Designation	Price	KW	HP	Frame	Type Designation	Price
<b>4 Pole, 1500 RPM</b>					<b>6 Pole, 1000 RPM</b>				
0.55	0.75	71 FLP	Crane Duty FLP	13040	30	40	225M FLP	Crane Duty FLP	259440
0.75	1	80 FLP	Crane Duty FLP	13880	37	50	250M FLP	Crane Duty FLP	318580
1.1	1.5	80 FLP	Crane Duty FLP	14430	45	60	280M FLP	Crane Duty FLP	387130
1.5	2	90 FLP	Crane Duty FLP	16480	55	75	280M FLP	Crane Duty FLP	417600
2.2	3	90 FLP	Crane Duty FLP	17900	<b>8 Pole, 750 RPM</b>				
3.7	5	100L FLP	Crane Duty FLP	24040	0.37	0.5	80 FLP	Crane Duty FLP	17520
5.5	7.5	112M FLP	Crane Duty FLP	30060	0.55	0.75	90 FLP	Crane Duty FLP	17900
7.5	10	132M FLP	Crane Duty FLP	41470	0.75	1	90 FLP	Crane Duty FLP	19390
9.3	12.5	132M FLP	Crane Duty FLP	45180	1.1	1.5	100L FLP	Crane Duty FLP	23450
11	15	160L FLP	Crane Duty FLP	69100	1.5	2	100L FLP	Crane Duty FLP	26770
15	20	160L FLP	Crane Duty FLP	73030	2.2	3	112M FLP	Crane Duty FLP	31330
18.5	25	160L FLP	Crane Duty FLP	88990	3.7	5	132M FLP	Crane Duty FLP	41380
22	30	180L FLP	Crane Duty FLP	114140	5.5	7.5	160L FLP	Crane Duty FLP	73380
30	40	200L FLP	Crane Duty FLP	153760	7.5	10	160L FLP	Crane Duty FLP	89510
37	50	225M FLP	Crane Duty FLP	200280	9.3	12.5	160L FLP	Crane Duty FLP	91640
45	60	225M FLP	Crane Duty FLP	252120	11	15	180L FLP	Crane Duty FLP	119830
55	75	250M FLP	Crane Duty FLP	309730	15	20	200L FLP	Crane Duty FLP	161970
75	100	280M FLP	Crane Duty FLP	397630	18.5	25	225M FLP	Crane Duty FLP	201080
90	120	280M FLP	Crane Duty FLP	405350	22	30	225M FLP	Crane Duty FLP	264640
<b>6 Pole, 1000 RPM</b>					30	40	250M FLP	Crane Duty FLP	325020
0.37	0.5	71 FLP	Crane Duty FLP	14520	37	50	280M FLP	Crane Duty FLP	417100
0.55	0.75	80 FLP	Crane Duty FLP	15290	45	60	280M FLP	Crane Duty FLP	425960
0.75	1	80 FLP	Crane Duty FLP	15660	45	60	280M FLP	Crane Duty FLP	425960
1.1	1.5	90 FLP	Crane Duty FLP	18230					
1.5	2	90 FLP	Crane Duty FLP	18810					
2.2	3	100L FLP	Crane Duty FLP	29430					
3.7	5	112M FLP	Crane Duty FLP	32980					
5.5	7.5	132M FLP	Crane Duty FLP	41920					
7.5	10	132M FLP	Crane Duty FLP	48540					
9.3	12.5	160L FLP	Crane Duty FLP	75120					
11	15	160L FLP	Crane Duty FLP	86800					
15	20	160L FLP	Crane Duty FLP	91980					
18.5	25	200L FLP	Crane Duty FLP	145870					
22	30	200L FLP	Crane Duty FLP	158240					