

Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad (E), Mumbai -400097 Tel No:- 61441600 , Fax No:- 61441650 Email:- info@akashpower.com

(WEF: 15th December 2018)

HINDUSTAN IE2 induction motors suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, foot mounted (B3 construction), ambient temperature 50°C, TEFC, Class 'F' insulation, IP55 protection, continuous rated (S1 duty) with bare shaft & key as per IS: 12615 / IEC: 60034-1.

KW	HP	Frame	Type Designation	Price	KW	HP	Frame	Type Designation	Price
2 Pole, 3000 RPM					4 Pole, 1500 RPM				
0.18	0.25	63	IE 2	4390	0.12	0.16	63	IE 2	4410
0.25	0.33	63	IE 2	4830	0.18	0.25	63	IE 2	4790
0.37	0.5	71	IE 2	5100	0.25	0.33	71	IE 2	5190
0.55	0.75	71	IE 2	610	0.37	0.5	71	IE 2	5350
0.75	1	80	IE 2	6820	0.55	0.75	80	IE 2	6990
1.1	1.5	80	IE 2	7360	0.75	1	80	IE 2	7100
1.5	2	90S	IE 2	8520	1.1	1.5	90S	IE 2	8760
2.2	3	90L	IE 2	10940	1.5	2	90L	IE 2	10650
3.7	5	100L	IE 2	13590	2.2	3	100L	IE 2	12680
5.5	7.5	132S	IE 2	23160	3.7	5	112M	IE 2	16070
7.5	10	132S	IE 2	25160	5.5	7.5	132S	IE 2	22300
9.3	12.5	160M	IE 2	38300	7.5	10	132M	IE 2	26370
11	15	160M	IE 2	43700	9.3	12.5	160M	IE 2	41650
15	20	160M	IE 2	46980	11	15	160M	IE 2	42030
18.5	25	160L	IE 2	60370	15	20	160L	IE 2	51880
22	30	180M	IE 2	67830	18.5	25	180M	IE 2	66400
30	40	200L	IE 2	99590	22	30	180L	IE 2	72730
37	50	200L	IE 2	120910	30	40	200L	IE 2	100320
45	60	225M	IE 2	155600	37	50	225SX	IE 2	117320
55	75	250M	IE 2	209480	45	60	225MX	IE 2	142200
75	100	280S	IE 2	261620	55	75	250MX	IE 2	195420
90	120	280M	IE 2	301790	75	100	280SX	IE 2	237840
110	150	315S	IE 2	381190	90	120	280MX	IE 2	277040
125	170	315M	IE 2	447270	110	150	315SX	IE 2	335560
132	180	315M	IE 2	468500	125	170	315MX	IE 2	382250
160	215	315L	IE 2	513200	132	180	315MX	IE 2	393180
180	240	315L	IE 2	540270	160	215	315LX	IE 2	461300
200	270	315L	IE 2	599180	180	240	315LX	IE 2	504370
225	300	355S	IE 2	674660	200	270	315LX	IE 2	559990
250	335	355M	IE 2	674660	225	300	355SX	IE 2	644050
275	370	355L	IE 2	710520	250	335	355MX	IE 2	683350
315	425	355L	IE 2	727600	275	370	355LX	IE 2	707220
					315	425	355LX	IE 2	801820

Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad (E), Mumbai -400097 Tel No:- 61441600 , Fax No:-
61441650 Email:- info@aakashpower.com

(WEF: 15th December 2018)

HINDUSTAN IE2 induction motors suitable for 415V±10%, 50Hz±5%, combined ±10%, 3 phase supply, foot mounted (B3 construction), ambient temperature 50°C, TEFC, Class 'F' insulation, IP55 protection, continuous rated (S1 duty) with bare shaft & key as per IS: 12615 / IEC: 60034-1.

KW	HP	Frame	Type Designation	Price	KW	HP	Frame	Type Designation	Price
6 Pole, 1000 RPM					8 Pole, 750 RPM				
0.18	0.25	71	IE 2	6430	0.12	0.16	71	IE 2	6980
0.25	0.33	71	IE 2	6870	0.18	0.25	80	IE 2	7200
0.37	0.5	80	IE 2	7420	0.25	0.33	80	IE 2	7700
0.55	0.75	80	IE 2	7620	0.37	0.5	90S	IE 2	8230
0.75	1	90S	IE 2	8570	0.55	0.75	90L	IE 2	9350
1.1	1.5	90L	IE 2	9740	0.75	1	100L	IE 2	11940
1.5	2	100L	IE 2	12990	1.1	1.5	100L	IE 2	13900
2.2	3	112M	IE 2	14430	1.5	2	112M	IE 2	15740
3.7	5	132S	IE 2	22490	2.2	3	132S	IE 2	21280
5.5	7.5	132M	IE 2	27660	3.7	5	160M	IE 2	37020
7.5	10	160M	IE 2	41240	5.5	7.5	160M	IE 2	41270
9.3	12.5	160L	IE 2	47230	7.5	10	160L	IE 2	50660
11	15	160L	IE 2	50760	9.3	12.5	180M	IE 2	64330
15	20	180L	IE 2	66310	11	15	180L	IE 2	67840
18.5	25	200L	IE 2	94690	15	20	200L	IE 2	105890
22	30	200L	IE 2	101950	18.5	25	225SX	IE 2	133280
30	40	225MX	IE 2	145700	22	30	225MX	IE 2	148070
37	50	250MX	IE 2	195950	30	40	250MX	IE 2	200900
45	60	280SX	IE 2	234710	37	50	280SX	IE 2	254010
55	75	280MX	IE 2	269520	45	60	280MX	IE 2	287440
75	100	315SX	IE 2	321700	55	75	315SX	IE 2	348310
90	120	315MX	IE 2	402560	75	100	315MX	IE 2	432500
110	150	315MX	IE 2	448880	90	120	315LX	IE 2	487810
125	170	315LX	IE 2	489270	110	150	315LX	IE 2	516410
132	180	315LX	IE 2	524010	132	180	355SX	IE 2	598310
160	215	355SX	IE 2	545610	150	200	355MX	IE 2	627960
180	240	355MX	IE 2	601770	160	215	355MX	IE 2	685460
200	270	355MX	IE 2	647070	200	270	355LX	IE 2	760120
225	300	355LX	IE 2	666480	225	300	355LX	IE 2	837440
250	335	355LX	IE 2	712610					