



AAKASH POWERTECH PVT.LTD



Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad (E), Mumbai -400097 Tel No:- 61441600 , Fax No:- 61441650
Email:- info@akashpower.com

Marathon Make, TEFC, Cast Iron, Power Supply AC 3 PHASE, 415 VOLTS +/- 10%, 50 HZ +/- 5%, COMBINED VARIATION +/-10% Insulation CLASS 'F' WITH TEMPERATURE RISE LIMITED TO CLASS 'B' ,Ambient 50 DEG.C.,Altitude LESS THAN 1000 MTR. ABOVE M.S.L.,Mounting HORIZONTAL FOOT MOUNTED (B3)Performance CONFORMING TO IS :325 ,Frame Dimensions CONFORMING TO IS : 1231 ,Protection IP-55 (IS :4691)

MARATHON ""TERRAMAX"" SERIES (IE3)

2 -Pole 3000 RPM			4 - Pole 1500 RPM			6 - Pole 1000 RPM		
Frame	KW	Price	Frame	KW	Price	Frame	KW	Price
						90S	0.75	10865
80	0.55	8345	80	0.55	8860	90L	1.1	11915
80	0.75	8625	80	0.75	8990	100L	1.5	15295
80	1.1	9415	90S	1.1	10210	112M	2.2	18280
90S	1.5	10785	90L	1.5	11175	132S	3	26695
90L	2.2	13855	100L	2.2	14815	132S	3.7	27800
100L	3	16280	100L	3	15665	132M	5.5	28905
112M	3.7	17205	112M	3.7	18910	160M	7.5	51645
132S	5.5	28085	132S	5.5	26170	160L	11	64325
132S	7.5	29070	132M	7.5	30360	180L	15	79424
160M	11	50805	160M	11	48640	200L	18.5	103421
160M	15	59520	160L	15	60460	200L	22	112404
160L	18.5	76495	180M	18.5	83764	225M	30	175201
180M	22	80233	180L	22	84759	250M	37	251627
200L	30	119187	200L	30	115995	280S	45	301279
200L	37	145473	225S	37	148411	280M	55	342527
225M	45	187217	225M	45	175343	315S	75	411181
250M	55	269439	250M	55	249660	315M	90	516112
280S	75	335037	280S	75	305406	315L	110	575130
280M	90	388056	280M	90	354318	315L	132	673170
315S	110	489174	315S	110	428948	355M	160	698307
315M	132	600113	315M	132	505020	355M	200	798371
315L	160	658749	315L	160	591005	355L	250	860444
315L	200	770942	315L	200	717345			
355M	250	858038	355M	250	790590			
355L	315	934224	355L	315	907155			
355L	355	1121065	355L	355	1125978			
355L	375	1233167	355L	375	1238553			



Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad (E), Mumbai -400097 Tel No:- 61441600 , Fax No:- 61441650 Email:- info@aakashpower.com

Marathon Make, TEFC, Cast Iron, Power Supply AC 3 PHASE, 415 VOLTS +/- 10%, 50 HZ +/- 5%, COMBINED VARIATION +/-10% Insulation CLASS 'F' WITH TEMPERATURE RISE LIMITED TO CLASS 'B' ,Ambient 50 DEG.C.,Altitude LESS THAN 1000 MTR. ABOVE M.S.L.,Mounting HORIZONTAL FOOT MOUNTED (B3)Performance CONFORMING TO IS :325 ,Frame Dimensions CONFORMING TO IS : 1231 ,Protection IP-55 (IS :4691)

MARATHON 'TEFCSC' MOTORS - "CHALLENGER" (SE) SERIES - IE 2

2 -Pole 3000 RPM			4 - Pole 1500 RPM			6 - Pole 1000 RPM		
Frame	KW	Price	Frame	KW	Price	Frame	KW	Price
SE 71 #	0.37	6506	SE 71 #	0.37	6865	SE 80	0.37	8116
SE 80	0.75	7439	SE 80	0.55	7643	SE 80	0.55	8319
SE 80	1.1	8122	SE 80	0.75	7757	SE 90S	0.75	9378
SE 90S	1.5	9307	SE 90S	1.1	8804	SE 90L	1.1	10282
SE 90L	2.2	11958	SE 90L	1.5	9642	SE 100L	1.5	13197
SE 100L	3.7	14849	SE 100L	2.2	12790	SE 112M	2.2	15776
SE 132S	5.5	24251	SE 100L	3	13684	SE 132S	3.7	24006
SE 132S	7.5	25095	SE 112M	3.7	16321	SE 132S	3	23323
SE 160M	11	45139	SE 132S	5.5	22593	SE 132M	5.5	26753
SE 160M	15	52913	SE 132M	7.5	26208	SE 160M	7.5	44588
SE 160L	18.5	68367	SE 160M	11	43254	SE 160L	11	55541
SE 180M	22	73262	SE 160L	15	53763	SE 180L	15	72556
SE 200L	30	108975	SE 180M	18.5	69474	SE 200L	18.5	94365
SE 200L	37	132316	SE 180L	22	77428	SE 200L	22	102421
SE 225M	45	170285	SE 200L	30	104037	SE 225M	30	159446
SE 250M	55	229249	SE 225S	37	128378	SE 250M	37	214437
SE 280S	75	286316	SE 225M	45	155616	SE 280S	45	256858
SE 280M	90/93.00	330282	SE 250M	55	213868	SE 280M	55	292463
SE 315S	110	417196	SE 280S	75	260282	SE 315S	75	352139
SE 315M	125	489597	SE 280M	90/93.00	303188	SE 315M	90/93.00	442764
SE 315M	132	512723	SE 315S	110	367305	SE 315M	110	491351
SE 315LA	160	561459	SE 315M	125	420422	SE 315L	125	535568
SE 315LB	180	591097	SE 315M	132	432452	SE 315L	132	579168
SE 315LC #	200	655627	SE 315LA	160	505170	SEK 315L	160	601568
SE 355L	250	730816	SE 315LB	180	539667	SE 355S	160	594406
			SE 355S	200	615964	SE 355M	180	658715
			SE 355M	220	627288	SE 355M	200	680800
			SE 355M	250	675677	SE 355LB	250	733749



Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad (E), Mumbai -400097
61441600 , Fax No:- 61441650 Email:- info@aakashpower.com

Tel No:-

Marathon Make, TEFC, Cast Iron, Power Supply AC 3 PHASE, 415 VOLTS +/- 10%, 50 HZ +/- 5%, COMBINED VARIATION +/-10% Insulation CLASS 'F' WITH TEMPERATURE RISE LIMITED TO CLASS 'B', Ambient 50 DEG.C., Altitude LESS THAN 1000 MTR. ABOVE M.S.L., Mounting HORIZONTAL FOOT MOUNTED (B3) Performance CONFORMING TO IS :325 ,Frame Dimensions CONFORMING TO IS : 1231 ,Protection IP-55 (IS :4691)

MARATHON 'TEFCSC' MOTORS - "CHALLENGER / ENERGY STAR****" SERIES

Table with 6 columns: Frame, KW, Price, Frame, KW, Price. It lists motor specifications for 2-Pole 3000 RPM and 4-Pole 1500 RPM series, including frame numbers, power ratings, and prices.



AAKASH POWERTECH PVT.LTD



Express Zone, A- Wing, Unit No. 501-505, W E Highway, Malad (E), Mumbai -400097
61441600 , Fax No:- 61441650 Email:- info@aakashpower.com

Tel No:-

Marathon Make, TEFC, Cast Iron, Power Supply AC 3 PHASE, 415 VOLTS +/- 10%, 50 HZ +/- 5%, COMBINED VARIATION +/-10% Insulation CLASS 'F' WITH TEMPERATURE RISE LIMITED TO CLASS 'B', Ambient 50 DEG.C.,Altitude LESS THAN 1000 MTR. ABOVE M.S.L.,Mounting HORIZONTAL FOOT MOUNTED (B3)Performance CONFORMING TO IS :325 ,Frame Dimensions CONFORMING TO IS : 1231 ,Protection IP-55 (IS :4691)

MARATHON 'TEFCSC' MOTORS - "CHALLENGER / ENERGY STAR**" SERIES**

6 -Pole 1000 RPM			8 - Pole 750 RPM		
Frame	KW	Price	Frame	KW	Price
12D 80	0.37	7074	12D 90S	0.37	7816
12D 80	0.55	7236	12D 90L	0.55	8565
12D 90S	0.75	8140	12D 100L	0.75	10534
12D 90L	1.1	8924	12D 100L	1.1	12838
12D 100L	1.5	11401	12D 112M	1.5	14873
12D 112M	2.2	13628	12D 132S	2.2	19709
12D 132S	3.7	20840	12D 132M	3	31302
12D 132M	5.5	23240	12D 132MX	3.7	29213
12D 160M	7.5	37580	12D 160M	3.7	30883
12D 160L	9.3	44463	12D 160M	5.5	37604
12D 160L	11	46803	12D 160L	7.5	47706
12D 180L	15	63938	12D180L	9.3	62035
12D 200L	18.5	83162	12D 180L	11	65422
12D 200L	22	90260	12D 200L	15	92127
12D 225M	30	141180	12D 225S	18.5	119365
12D 250M	37	189796	12D 225M	22	144173
12D 280S	45	241082	12D 250M	30	193764
12D 280M	55	273520	12D 280S	37	246331
12D 315S	75	336207	12D 280M	45	285981
12D 315M	90/93.00	422721	12D 315S	55	344898
12D 315M	110	471373	12D 315M	75	430304
12D 315L	125	513788	12D 315LA	90/93.00	485515
12D 315L	132	550273	12D 315LB	110	513974
12D 355S	150	565648	12D 355S	125	567396
12D 355S	160	570239	12D 355S	132	598356
12D 355M	180	628916	12D 355M	150	628222
12D 355M	200	653113	12D 355M	160	691878
12D 355LA	220/225.00	684829	12D 355LA	180	706487
12D 355LB	250	703914	12D 355LB	200	756851
12D 355LC	280	810896	12D 355LC	220	1080472
12D 355LD	300	1062068	12D 355LD	250	1242543
12D 355LE	315	1120631			
12D 355LF	350	1204680			