

WEF 12th February 2020

FIRE SURVIVAL CABLES

Stranded Annealed Bare Copper Conductor /950° Mica Tape Wrapped/Xipe Insulation/Cores Laid up together/Fibre Glass Tape Wrapped/FRLS Inner Sheathed/GI Wire Strip Armoured/ FRLS Outersheathed Fire Survival Cables

Size in Sq.mm.	2 Cores	3 Cores	3.5 Cores	4 Cores
1.5	217	271		330
2.5	271	346		427
4	318	417		522
6	412	552		698
10	583	797		1019
16	773	1079		1420
25	1102	1588	1912	2086
35	1466	2127	2459	2808
50	1933	2825	3313	3740
70	2686	3946	4617	5226
95	3531	5198	6072	6889
120	4393	6495	7739	8625
150	5379	7965	9203	10569
185	6645	9850	11531	13067
240	8449	12550	14667	16665
300	10467	15551	18148	20670
400	13626	20271	23494	26946

Stranded Annealed Bare Copper Conductor /950° Mica Tape Wrapped/Xipe Insulation/Cores Laid up together/Fibre Glass Tape Wrapped/Zero Halogen Inner Sheathed/GI Wire Strip Armoured/ Zero Halogen Outersheathed Fire Survival Cables

Size in Sq.mm.	2 Cores	3 Cores	3.5 Cores	4 Cores
1.5	243	398		361
2.5	298	375		459
4	347	446		555
6	442	584		734
10	618	833		1060
16	806	1114		1465
25	1144	1633	1962	2138
35	1511	2177	2514	2866
50	1983	2881	3374	3810
70	2748	4018	4695	5310
95	3601	5275	6157	6982
120	4467	6580	7842	8735
150	5468	8069	9319	10699
185	6745	9973	11670	13219
240	8570	12699	14834	16849
300	10609	15724	18342	20891
400	13804	20492	23742	27218

Add: 501-505, A-Wing, Express Zone, W.E.H, Malad-(E), Mum- 97. Tel: 022 6144 1600;
Email: info@aakashpower.com; www.aakashpower.com

Rev.001 - 12.02.2020

WEF 12th February 2020

FIRE SURVIVAL CABLES

Stranded Annealed Bare Copper Conductor /95° Mica Tape Wrapped/Cross Linkable Zero Halogen Insulation/Cores Laid up together/Fibre Glass Tape Wrapped/Zero Halogen Inner Sheathed/GI Wire Strip Armoured/ Zero Halogen Outersheathed Fire Survival Cables

Size in Sq.mm.	2 Cores	3 Cores	3.5 Cores	4 Cores
1.5	252	312		377
2.5	308	390		479
4	357	462		575
6	454	602		757
10	631	854		1087
16	822	1139		1498
25	1170	1673	2009	2191
35	1541	2221	2566	2925
50	2021	2938	3444	3886
70	2797	4092	4784	5409
95	3655	5357	6258	7091
120	4534	6680	7966	8869
150	5554	8198	9473	10872
185	6856	10139	11862	13438
240	8701	12898	15067	17114
300	10765	15957	18619	21203
400	13999	20784	24091	27608

Add: 501-505, A-Wing, Express Zone, W.E.H, Malad-'E), Mum- 97. Tel: 022 6144 1600; Email: info@aakashpower.com; www.aakashpower.com

Rev.001 - 12.02.2020



LDC Pricelist



WEF 12th Feb 2020

FS Aluminium Power Cable

Polycab Make Stranded Sector Aluminium Conductor / Wrapped with Mica Tape / XLPE Insulation /
Wrapped with Fibre Tape Barrier / FRLS Inner Sheathed / GI Wire Armoured / FRLS Sheathed FS
Aluminium Power Cables

Sq. mm	3 Core	4 Core
16	424	548
25	571	728
35	691	892
50	855	1109
70	1169	1521
95	1461	1901
120	1746	2288
150	2077	2721
185	2517	3288
240	3133	4097
300	3770	4949
400	4692	6146

Add: 501-505, A-Wing, Express Zone, W.E.H, Malad-(E), Mum- 97.

Tel: 022 6144 1600; Email: info@akashpower.com;

www.akashpower.com

Rev.001 - 12.02.2020