

(WEF 01st Jan 2020)

OVERALL SHIELDED - ARMoured INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with AI (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation

Type	No of Element	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter
PAIR	1	0.50	81	0.75	92	1	100	1.5	121	2.5	164
PAIR	2	0.50	119	0.75	142	1	160	1.5	200	2.5	284
PAIR	3	0.50	142	0.75	173	1	201	1.5	258	2.5	374
PAIR	4	0.50	166	0.75	209	1	246	1.5	319	2.5	470
PAIR	5	0.50	193	0.75	245	1	291	1.5	383	2.5	560
PAIR	6	0.50	220	0.75	283	1	336	1.5	446	2.5	657
PAIR	7	0.50	239	0.75	309	1	372	1.5	498	2.5	743
PAIR	8	0.50	269	0.75	350	1	423	1.5	558	2.5	841
PAIR	10	0.50	321	0.75	410	1	502	1.5	676	2.5	1034
PAIR	12	0.50	361	0.75	474	1	584	1.5	791	2.5	1213
PAIR	14	0.50	390	0.75	533	1	660	1.5	906	2.5	1394
PAIR	16	0.50	443	0.75	598	1	744	1.5	1015	2.5	1581
PAIR	19	0.50	501	0.75	692	1	863	1.5	1184	2.5	1849
PAIR	24	0.50	625	0.75	864	1	1070	1.5	1486	2.5	2322
TRIAD	1	0.50	97	0.75	114	1	123	1.5	154	2.5	215
TRIAD	2	0.50	151	0.75	186	1	209	1.5	268	2.5	388
TRIAD	3	0.50	186	0.75	236	1	270	1.5	355	2.5	525
TRIAD	4	0.50	223	0.75	289	1	337	1.5	446	2.5	660
TRIAD	5	0.50	259	0.75	344	1	401	1.5	539	2.5	802
TRIAD	6	0.50	299	0.75	398	1	468	1.5	622	2.5	945
TRIAD	7	0.50	329	0.75	441	1	524	1.5	702	2.5	1074
TRIAD	8	0.50	370	0.75	485	1	587	1.5	797	2.5	1226
TRIAD	10	0.50	440	0.75	600	1	712	1.5	980	2.5	1511
TRIAD	12	0.50	500	0.75	690	1	833	1.5	1144	2.5	1788
TRIAD	14	0.50	568	0.75	788	1	955	1.5	1315	2.5	2060
TRIAD	16	0.50	630	0.75	880	1	1071	1.5	1488	2.5	2336
TRIAD	19	0.50	729	0.75	1021	1	1249	1.5	1740	2.5	2739
TRIAD	24	0.50	901	0.75	1277	1	1562	1.5	2191	2.5	3448
QUAD	1	0.50	108	0.75	130	1	147	1.5	186	2.5	265

OVERALL SHIELDED - UN- ARMoured INSTRUMENTATIION CABLES

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with AI (Inner sheathed GI Steel Wire Mylar/Drain Wire) UN-Armoured PVC Outer Sheathed Instrumentation

Type	No of Element	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter
PAIR	1	0.50	47	0.75	57	1	68	1.5	80	2.5	112
PAIR	2	0.50	74	0.75	92	1	112	1.5	157	2.5	214
PAIR	3	0.50	97	0.75	123	1	157	1.5	203	2.5	304
PAIR	4	0.50	112	0.75	157	1	203	1.5	259	2.5	394
PAIR	5	0.50	147	0.75	192	1	283	1.5	314	2.5	486
PAIR	6	0.50	168	0.75	214	1	304	1.5	383	2.5	573
PAIR	7	0.50	181	0.75	247	1	314	1.5	426	2.5	663
PAIR	8	0.50	203	0.75	271	1	371	1.5	486	2.5	754
PAIR	10	0.50	247	0.75	350	1	450	1.5	608	2.5	945
PAIR	12	0.50	295	0.75	404	1	530	1.5	720	2.5	1113
PAIR	14	0.50	325	0.75	462	1	608	1.5	821	2.5	1282
PAIR	16	0.50	383	0.75	516	1	697	1.5	945	2.5	1461
PAIR	19	0.50	439	0.75	617	1	809	1.5	1102	2.5	1720
PAIR	24	0.50	541	0.75	764	1	1011	1.5	1384	2.5	2180
TRIAD	1	0.50	63	0.75	71	1	89	1.5	110	2.5	162
TRIAD	2	0.50	104	0.75	126	1	158	1.5	204	2.5	303
TRIAD	3	0.50	138	0.75	169	1	215	1.5	283	2.5	427
TRIAD	4	0.50	170	0.75	213	1	257	1.5	362	2.5	558
TRIAD	5	0.50	206	0.75	257	1	336	1.5	446	2.5	694
TRIAD	6	0.50	240	0.75	304	1	396	1.5	530	2.5	822
TRIAD	7	0.50	271	0.75	344	1	451	1.5	606	2.5	946
TRIAD	8	0.50	308	0.75	393	1	514	1.5	697	2.5	1078
TRIAD	10	0.50	377	0.75	484	1	643	1.5	863	2.5	1340
TRIAD	12	0.50	439	0.75	573	1	755	1.5	1020	2.5	1590
TRIAD	14	0.50	502	0.75	658	1	872	1.5	1178	2.5	1841
TRIAD	16	0.50	574	0.75	747	1	989	1.5	1340	2.5	2104
TRIAD	19	0.50	670	0.75	873	1	1160	1.5	1574	2.5	2481
TRIAD	24	0.50	837	0.75	1095	1	1455	1.5	1993	2.5	3123
QUAD	1	0.50	68	0.75	84	1	108	1.5	147	2.5	214

(WEF 01st Jan 2020)

OVERALL SHIELDED - ARMoured INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation

Type	No of Element	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter
CORE	2	0.50	82	0.75	94	1	103	1.5	123	2.5	166
CORE	3	0.50	94	0.75	109	1	124	1.5	155	2.5	211
CORE	4	0.50	108	0.75	127	1	149	1.5	187	2.5	261
CORE	5	0.50	120	0.75	145	1	171	1.5	218	2.5	309
CORE	6	0.50	136	0.75	164	1	196	1.5	251	2.5	361
CORE	7	0.50	144	0.75	177	1	213	1.5	275	2.5	399
CORE	8	0.50	162	0.75	199	1	239	1.5	312	2.5	451
CORE	10	0.50	189	0.75	235	1	287	1.5	375	2.5	551
CORE	12	0.50	210	0.75	364	1	325	1.5	431	2.5	619
CORE	14	0.50	232	0.75	297	1	365	1.5	490	2.5	716
CORE	16	0.50	256	0.75	330	1	411	1.5	551	2.5	803
CORE	19	0.50	290	0.75	375	1	469	1.5	634	2.5	936
CORE	24	0.50	351	0.75	460	1	559	1.5	770	2.5	1166

Terms & Conditions

- 1 E & OE
- 2 Prices are in Indian Rupees.
- 3 Taxes & Duties : The List Prices are exclusive of Frieght, GST and any other Central, State of Local Taxes, Octroi and other levies. These will be charged extra at the rates on the date of supply.
- 4 Prices are subject to change without notice.
- 5 This Price List supersedes all our previous Price Lists.
- 6 List Prices are valid for delivery from factory/ godowns/ depots.

Add: 501-505, A-Wing, Express Zone, W.E.H, Malad-(E), Mum- 97.

Tel: 022 6144 1600; Email: info@aakashpower.com; www.aakashpower.com

Rev.001 - 01.01.2020

(WEF 01st Jan 2020)

INDIVIDUAL & OVERALL SHIELDED - ARMoured INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Pair/Triad laid up individual & overall shielded with Al Mylar/Drain Wire, Inner sheathed, GI Steel Wire Round/Strip Armoured PVC Outer Sheathed Instrumentation Cables

Type	No of Element	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter
PAIR	2	0.50	157	0.75	171	1	197	1.5	240	2.5	329
PAIR	3	0.50	193	0.75	216	1	251	1.5	311	2.5	436
PAIR	4	0.50	230	0.75	263	1	308	1.5	388	2.5	540
PAIR	5	0.50	269	0.75	310	1	367	1.5	451	2.5	651
PAIR	6	0.50	309	0.75	360	1	426	1.5	534	2.5	763
PAIR	7	0.50	340	0.75	398	1	474	1.5	599	2.5	863
PAIR	8	0.50	386	0.75	439	1	530	1.5	679	2.5	985
PAIR	10	0.50	456	0.75	537	1	647	1.5	831	2.5	1209
PAIR	12	0.50	518	0.75	616	1	747	1.5	971	2.5	1424
PAIR	14	0.50	591	0.75	702	1	854	1.5	1106	2.5	1636
PAIR	16	0.50	662	0.75	790	1	961	1.5	1248	2.5	1851
PAIR	19	0.50	757	0.75	908	1	1111	1.5	1456	2.5	2163
PAIR	24	0.50	945	0.75	1141	1	1395	1.5	1837	2.5	2721
TRAI	2	0.50	184	0.75	214	1	241	1.5	301	2.5	413
TRAI	3	0.50	230	0.75	273	1	315	1.5	400	2.5	565
TRAI	4	0.50	281	0.75	338	1	391	1.5	490	2.5	719
TRAI	5	0.50	330	0.75	401	1	469	1.5	598	2.5	882
TRAI	6	0.50	382	0.75	456	1	539	1.5	701	2.5	1036
TRAI	7	0.50	422	0.75	509	1	605	1.5	793	2.5	1177
TRAI	8	0.50	471	0.75	584	1	686	1.5	906	2.5	1343
TRAI	10	0.50	566	0.75	706	1	841	1.5	1112	2.5	1669
TRAI	12	0.50	565	0.75	821	1	983	1.5	1298	2.5	1956
TRAI	14	0.50	741	0.75	933	1	1127	1.5	1498	2.5	2253
TRAI	16	0.50	832	0.75	1051	1	1264	1.5	1694	2.5	2556
TRAI	19	0.50	964	0.75	1222	1	1484	1.5	1992	2.5	2995
TRAI	24	0.50	1209	0.75	1538	1	1872	1.5	2489	2.5	3791

INDIVIDUAL & OVERALL SHIELDED - UN-ARMoured INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Pair/Triad laid up, individual & overall shielded with Al Mylar/Drain Wire, Inner sheathed, UN-Armoured PVC Outer Sheathed Instrumentation Cables

Type	No of Element	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter
PAIR	2	0.50	97	0.75	112	1	137	1.5	168	2.5	237
PAIR	3	0.50	123	0.75	157	1	192	1.5	237	2.5	339
PAIR	4	0.50	157	0.75	192	1	237	1.5	304	2.5	439
PAIR	5	0.50	192	0.75	237	1	295	1.5	371	2.5	541
PAIR	6	0.50	225	0.75	283	1	350	1.5	439	2.5	643
PAIR	7	0.50	259	0.75	314	1	394	1.5	495	2.5	732
PAIR	8	0.50	295	0.75	359	1	450	1.5	573	2.5	844
PAIR	10	0.50	359	0.75	450	1	562	1.5	709	2.5	1034
PAIR	12	0.50	417	0.75	530	1	652	1.5	830	2.5	1237
PAIR	14	0.50	495	0.75	608	1	764	1.5	966	2.5	1428
PAIR	16	0.50	552	0.75	687	1	855	1.5	1102	2.5	1629
PAIR	19	0.50	643	0.75	809	1	1011	1.5	1292	2.5	1924
PAIR	24	0.50	809	0.75	1011	1	1272	1.5	1629	2.5	2417
TRAI	2	0.50	133	0.75	150	1	183	1.5	230	2.5	332
TRAI	3	0.50	177	0.75	206	1	253	1.5	320	2.5	470
TRAI	4	0.50	223	0.75	263	1	325	1.5	416	2.5	617
TRAI	5	0.50	271	0.75	317	1	396	1.5	508	2.5	759
TRAI	6	0.50	315	0.75	375	1	469	1.5	610	2.5	901
TRAI	7	0.50	357	0.75	426	1	537	1.5	697	2.5	1036
TRAI	8	0.50	406	0.75	493	1	617	1.5	796	2.5	1183
TRAI	10	0.50	508	0.75	607	1	761	1.5	985	2.5	1479
TRAI	12	0.50	595	0.75	713	1	898	1.5	1162	2.5	1754
TRAI	14	0.50	684	0.75	821	1	1036	1.5	1345	2.5	2030
TRAI	16	0.50	770	0.75	931	1	1176	1.5	1528	2.5	2308
TRAI	19	0.50	901	0.75	1091	1	1383	1.5	1809	2.5	2701
TRAI	24	0.50	1129	0.75	1380	1	1748	1.5	2274	2.5	3422

Add: 501-505, A-Wing, Express Zone, W.E.H, Malad-(E), Mum- 97.

Tel: 022 6144 1600; Email: info@aakashpower.com; www.aakashpower.com

Rev.001 - 01.01.2020