

( WEF 12th Feb 2020 )

## OVERALL SHIELDED - ARMOURED INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation

Type	No of Element	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter
PAIR	1	0.50	81	0.75	92	1	100	1.5	121	2.5	164
PAIR	2	0.50	119	0.75	142	1	160	1.5	200	2.5	284
PAIR	3	0.50	142	0.75	173	1	201	1.5	258	2.5	374
PAIR	4	0.50	166	0.75	209	1	246	1.5	319	2.5	470
PAIR	5	0.50	193	0.75	245	1	291	1.5	383	2.5	560
PAIR	6	0.50	220	0.75	283	1	336	1.5	446	2.5	657
PAIR	7	0.50	239	0.75	309	1	372	1.5	498	2.5	743
PAIR	8	0.50	269	0.75	350	1	423	1.5	558	2.5	841
PAIR	10	0.50	321	0.75	410	1	502	1.5	676	2.5	1034
PAIR	12	0.50	361	0.75	474	1	584	1.5	791	2.5	1213
PAIR	14	0.50	390	0.75	533	1	660	1.5	906	2.5	1394
PAIR	16	0.50	443	0.75	598	1	744	1.5	1015	2.5	1581
PAIR	19	0.50	501	0.75	692	1	863	1.5	1184	2.5	1849
PAIR	24	0.50	625	0.75	864	1	1070	1.5	1486	2.5	2322
TRIAD	1	0.50	97	0.75	114	1	123	1.5	154	2.5	215
TRIAD	2	0.50	151	0.75	186	1	209	1.5	268	2.5	388
TRIAD	3	0.50	186	0.75	236	1	270	1.5	355	2.5	525
TRIAD	4	0.50	223	0.75	289	1	337	1.5	446	2.5	660
TRIAD	5	0.50	259	0.75	344	1	401	1.5	539	2.5	802
TRIAD	6	0.50	299	0.75	398	1	468	1.5	622	2.5	945
TRIAD	7	0.50	329	0.75	441	1	524	1.5	702	2.5	1074
TRIAD	8	0.50	370	0.75	485	1	587	1.5	797	2.5	1226
TRIAD	10	0.50	440	0.75	600	1	712	1.5	980	2.5	1511
TRIAD	12	0.50	500	0.75	690	1	833	1.5	1144	2.5	1788
TRIAD	14	0.50	568	0.75	788	1	955	1.5	1315	2.5	2060
TRIAD	16	0.50	630	0.75	880	1	1071	1.5	1488	2.5	2336
TRIAD	19	0.50	729	0.75	1021	1	1249	1.5	1740	2.5	2739
TRIAD	24	0.50	901	0.75	1277	1	1562	1.5	2191	2.5	3448
QUAD	1	0.50	108	0.75	130	1	147	1.5	186	2.5	265

## OVERALL SHIELDED - UN- ARMOURED INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) UN-Armoured PVC Outer Sheathed Instrumentation

Type	No of Element	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter
PAIR	1	0.50	47	0.75	57	1	68	1.5	80	2.5	112
PAIR	2	0.50	74	0.75	92	1	112	1.5	157	2.5	214
PAIR	3	0.50	97	0.75	123	1	157	1.5	203	2.5	304
PAIR	4	0.50	112	0.75	157	1	203	1.5	259	2.5	394
PAIR	5	0.50	147	0.75	192	1	283	1.5	314	2.5	486
PAIR	6	0.50	168	0.75	214	1	304	1.5	383	2.5	573
PAIR	7	0.50	181	0.75	247	1	314	1.5	426	2.5	663
PAIR	8	0.50	203	0.75	271	1	371	1.5	486	2.5	754
PAIR	10	0.50	247	0.75	350	1	450	1.5	608	2.5	945
PAIR	12	0.50	295	0.75	404	1	530	1.5	720	2.5	1113
PAIR	14	0.50	325	0.75	462	1	608	1.5	821	2.5	1282
PAIR	16	0.50	383	0.75	516	1	697	1.5	945	2.5	1461
PAIR	19	0.50	439	0.75	617	1	809	1.5	1102	2.5	1720
PAIR	24	0.50	541	0.75	764	1	1011	1.5	1384	2.5	2180
TRIAD	1	0.50	63	0.75	71	1	89	1.5	110	2.5	162
TRIAD	2	0.50	104	0.75	126	1	158	1.5	204	2.5	303
TRIAD	3	0.50	138	0.75	169	1	215	1.5	283	2.5	427
TRIAD	4	0.50	170	0.75	213	1	257	1.5	362	2.5	558
TRIAD	5	0.50	206	0.75	257	1	336	1.5	446	2.5	694
TRIAD	6	0.50	240	0.75	304	1	396	1.5	530	2.5	822
TRIAD	7	0.50	271	0.75	344	1	451	1.5	606	2.5	946
TRIAD	8	0.50	308	0.75	393	1	514	1.5	697	2.5	1078
TRIAD	10	0.50	377	0.75	484	1	643	1.5	863	2.5	1340
TRIAD	12	0.50	439	0.75	573	1	755	1.5	1020	2.5	1590
TRIAD	14	0.50	502	0.75	658	1	872	1.5	1178	2.5	1841
TRIAD	16	0.50	574	0.75	747	1	989	1.5	1340	2.5	2104
TRIAD	19	0.50	670	0.75	873	1	1160	1.5	1574	2.5	2481
TRIAD	24	0.50	837	0.75	1095	1	1455	1.5	1993	2.5	3123
QUAD	1	0.50	68	0.75	84	1	108	1.5	147	2.5	214

Add: 501-505, A-Wing, Express Zone, W.E.H, Malad-(E), Mum- 97.

Tel: 022 6144 1600; Email: info@akashpower.com; www.akashpower.com

Rev.001 - 12.02.2020

( WEF 12th Feb 2020 )

## OVERALL SHIELDED - ARMoured INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation

Type	No of Element	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter
CORE	2	0.50	82	0.75	94	1	103	1.5	123	2.5	166
CORE	3	0.50	94	0.75	109	1	124	1.5	155	2.5	211
CORE	4	0.50	108	0.75	127	1	149	1.5	187	2.5	261
CORE	5	0.50	120	0.75	145	1	171	1.5	218	2.5	309
CORE	6	0.50	136	0.75	164	1	196	1.5	251	2.5	361
CORE	7	0.50	144	0.75	177	1	213	1.5	275	2.5	399
CORE	8	0.50	162	0.75	199	1	239	1.5	312	2.5	451
CORE	10	0.50	189	0.75	235	1	287	1.5	375	2.5	551
CORE	12	0.50	210	0.75	264	1	325	1.5	431	2.5	619
CORE	14	0.50	232	0.75	297	1	365	1.5	490	2.5	716
CORE	16	0.50	256	0.75	330	1	411	1.5	551	2.5	803
CORE	19	0.50	290	0.75	375	1	469	1.5	634	2.5	936
CORE	24	0.50	351	0.75	460	1	559	1.5	770	2.5	1166

### Terms & Conditions

- 1 E & OE
- 2 Prices are in Indian Rupees.
- 3 Taxes & Duties : The List Prices are exclusive of Frieght, GST and any other Central, State of levies. These will be charged extra at the rates on the date of supply.
- 4 Prices are subject to change without notice.
- 5 This Price List supersedes all our previous Price Lists.
- 6 List Prices are valid for delivery from factory/ godowns/ depots.

Add: 501-505, A-Wing, Express Zone, W.E.H, Malad-(E), Mum- 97.

Tel: 022 6144 1600; Email: [info@akashpower.com](mailto:info@akashpower.com); [www.akashpower.com](http://www.akashpower.com)

Rev.001 - 12.02.2020

( WEF 12th Feb 2020 )

## INDIVIDUAL & OVERALL SHIELDED - ARMOURED INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Pair/Triad laid up individual & overall shielded with Al Mylar/Drain Wire, Inner sheathed, GI Steel Wire Round/Strip Armoured PVC Outer Sheathed Instrumentation Cables

Type	No of Element	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter
PAIR	2	0.50	157	0.75	171	1	197	1.5	240	2.5	329
PAIR	3	0.50	193	0.75	216	1	251	1.5	311	2.5	436
PAIR	4	0.50	230	0.75	263	1	308	1.5	388	2.5	540
PAIR	5	0.50	269	0.75	310	1	367	1.5	451	2.5	651
PAIR	6	0.50	309	0.75	360	1	426	1.5	534	2.5	763
PAIR	7	0.50	340	0.75	398	1	474	1.5	599	2.5	863
PAIR	8	0.50	386	0.75	439	1	530	1.5	679	2.5	985
PAIR	10	0.50	456	0.75	537	1	647	1.5	831	2.5	1209
PAIR	12	0.50	518	0.75	616	1	747	1.5	971	2.5	1424
PAIR	14	0.50	591	0.75	702	1	854	1.5	1106	2.5	1636
PAIR	16	0.50	662	0.75	790	1	961	1.5	1248	2.5	1851
PAIR	19	0.50	757	0.75	908	1	1111	1.5	1456	2.5	2163
PAIR	24	0.50	945	0.75	1141	1	1395	1.5	1837	2.5	2721
TRAIID	2	0.50	184	0.75	214	1	241	1.5	301	2.5	413
TRAIID	3	0.50	230	0.75	273	1	315	1.5	400	2.5	565
TRAIID	4	0.50	281	0.75	338	1	391	1.5	490	2.5	719
TRAIID	5	0.50	330	0.75	401	1	469	1.5	598	2.5	882
TRAIID	6	0.50	382	0.75	456	1	539	1.5	701	2.5	1036
TRAIID	7	0.50	422	0.75	509	1	605	1.5	793	2.5	1177
TRAIID	8	0.50	471	0.75	584	1	686	1.5	906	2.5	1343
TRAIID	10	0.50	566	0.75	706	1	841	1.5	1112	2.5	1669
TRAIID	12	0.50	565	0.75	821	1	983	1.5	1298	2.5	1956
TRAIID	14	0.50	741	0.75	933	1	1127	1.5	1498	2.5	2253
TRAIID	16	0.50	832	0.75	1051	1	1264	1.5	1694	2.5	2556
TRAIID	19	0.50	964	0.75	1222	1	1484	1.5	1992	2.5	2995
TRAIID	24	0.50	1209	0.75	1538	1	1872	1.5	2489	2.5	3791

## INDIVIDUAL & OVERALL SHIELDED - UN-ARMOURED INSTRUMENTATION CABLES

Str/Solid Cu PVC/XLPE Insulated Pair/Triad laid up, individual & overall shielded with Al Mylar/Drain Wire, Inner sheathed, UN-Armoured PVC Outer Sheathed Instrumentation Cables

Type	No of Element	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter	Size sq.mm.	Rate/ Per Meter
PAIR	2	0.50	97	0.75	112	1	137	1.5	168	2.5	237
PAIR	3	0.50	123	0.75	157	1	192	1.5	237	2.5	339
PAIR	4	0.50	157	0.75	192	1	237	1.5	304	2.5	439
PAIR	5	0.50	192	0.75	237	1	295	1.5	371	2.5	541
PAIR	6	0.50	225	0.75	283	1	350	1.5	439	2.5	643
PAIR	7	0.50	259	0.75	314	1	394	1.5	495	2.5	732
PAIR	8	0.50	295	0.75	359	1	450	1.5	573	2.5	844
PAIR	10	0.50	359	0.75	450	1	562	1.5	709	2.5	1034
PAIR	12	0.50	417	0.75	530	1	652	1.5	830	2.5	1237
PAIR	14	0.50	495	0.75	608	1	764	1.5	966	2.5	1428
PAIR	16	0.50	552	0.75	687	1	855	1.5	1102	2.5	1629
PAIR	19	0.50	643	0.75	809	1	1011	1.5	1292	2.5	1924
PAIR	24	0.50	809	0.75	1011	1	1272	1.5	1629	2.5	2417
TRAIID	2	0.50	133	0.75	150	1	183	1.5	230	2.5	332
TRAIID	3	0.50	177	0.75	206	1	253	1.5	320	2.5	470
TRAIID	4	0.50	223	0.75	263	1	325	1.5	416	2.5	617
TRAIID	5	0.50	271	0.75	317	1	396	1.5	508	2.5	759
TRAIID	6	0.50	315	0.75	375	1	469	1.5	610	2.5	901
TRAIID	7	0.50	357	0.75	426	1	537	1.5	697	2.5	1036
TRAIID	8	0.50	406	0.75	493	1	617	1.5	796	2.5	1183
TRAIID	10	0.50	508	0.75	607	1	761	1.5	985	2.5	1479
TRAIID	12	0.50	595	0.75	713	1	898	1.5	1162	2.5	1754
TRAIID	14	0.50	684	0.75	821	1	1036	1.5	1345	2.5	2030
TRAIID	16	0.50	770	0.75	931	1	1176	1.5	1528	2.5	2308
TRAIID	19	0.50	901	0.75	1091	1	1383	1.5	1809	2.5	2701
TRAIID	24	0.50	1129	0.75	1380	1	1748	1.5	2274	2.5	3422

Add: 501-505, A-Wing, Express Zone, W.E.H, Malad-(E), Mum- 97.

Tel: 022 6144 1600; Email: info@akashpower.com; www.akashpower.com

Rev.001 - 12.02.2020